

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL ENGINE CLEANER

Product code : CRX268, AT62I

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. Other vehicle (all types) cleaning and care

products.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.

Al. Jerozolimskie 146 02-305 Warszawa, Poland

Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Serious eye damage, category 1.

(1272/2008/EC)

Human health hazards : Causes serious eye damage. Contains petroleum distillates, may be harmful when ingested.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

Other information : Do not breathe spray. Use only in well-ventilated areas.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms



Signal word : Danger

H- and P-phrases : H318 Causes serious eye damage.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P280 eyes Wear eye protection/face protection.

P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+P338 lenses, if present and easy to do. Continue rinsing. P310 lmmediately call a POISON CENTER/doctor.

Product name : Shell Engine Cleaner Page 1/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS



According to Regulation (EU) No 2020/878

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms

Signal word : Danger

H- and P-phrases : H318 Causes serious eye damage.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P280 eyes Wear eye protection/face protection.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+ P338 lenses, if present and easy to do. Continue rinsing. P310 lmmediately call a POISON CENTER/doctor.

Additional labelling (for all packaging sizes)

: Contains: Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated,

chlorides .

: 17 per cent of the mixture consists of component(s) of unknown acute inhalation toxicity.

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Non-ionic surfactants , Aliphatic hydrocarbons	5 - 15
Cationic surfactants	< 5

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Alcohols, C12-14, ethoxylated	5 - < 10	68439-50-9	500-213-3		
Alcohols, C9-11, ethoxylated	5 - < 10	68439-46-3			
2-(2-Butoxyethoxy)ethanol	5 - < 10	112-34-5	203-961-6		01-2119475104-44
Hydrocarbons, C13-C18, n-alkanes,	5 - < 10		921-050-8		01-2119485032-45
isoalkanes, cyclics, < 2% aromatics					
Quaternary ammonium compounds,	3 - < 10	1554325-20-0	810-152-7		
C12-14-alkyl(hydroxyethyl)dimethyl,					
ethoxylated, chlorides					

Substance name	Hazard Class	H-phrases	Pictograms	
Alcohols, C12-14, ethoxylated	Eye Irrit. 2; Aquatic Acute 1; Aquatic Chronic 3	H319; H400; H412	GHS07; GHS09	M (acute) = 1
Alcohols, C9-11, ethoxylated 2-(2-Butoxyethoxy)ethanol Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Eye Irrit. 2 Eye Irrit. 2 Asp. Tox. 1	H319 H319 H304; EUH066	GHS07 GHS07 GHS08	

Product name : Shell Engine Cleaner Page 2/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

Quaternary ammonium compounds, Acute Tox. 4; Skin Irrit. H302; H315; H318 GHS05; GHS07 C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up.

Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor

immediately.

Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Give condensed milk or a knob

of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels

unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness. May cause irritation to respiratory

airways and coughing.

Skin contact : May cause dry skin.

Eye contact : Strongly irritant. Irreversible effects on the eye/serious damage to eyes. May cause redness and

severe pain.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and

lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

Product name : Shell Engine Cleaner Page 3/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS



According to Regulation (EU) No 2020/878

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves

risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Handling

Do not breathe spray. Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents. Storage

Recommended packaging Keep only in the original container.

Non recommended

packaging

: Steel (except stainless steel). PE and PP.

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
2-(2-Butoxyethoxy)ethanol	EC	67,5	101,2	-	
2-(2-Butoxyethoxy)ethanol	GB	67,5	101,2	-	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect

Product name : Shell Engine Cleaner Page 4/10 Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 **INFO CARE SDS**



According to Regulation (EU) No 2020/878

Kemetyl

2-(2-Butoxyethoxy)ethanol	Inhalation	101,2 mg/m3	67,5 mg/m3	67,5 mg/m3
	Dermal			83 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	,	Local effect	Systemic effect	Local effect	Systemic effect
2-(2-Butoxyethoxy)ethanol	Inhalation	60,7 mg/m3		40,5 mg/m3	40,5 mg/m3
	Dermal				50 mg/kg bw/day
	Oral				5 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
2-(2-Butoxyethoxy)ethanol	Water	1.1 mg/l	0.11 mg/l	
	Sediment	4.4 mg/kg	0.44 mg/kg	
	Intermittent water			3,9 mg/l
	STP			200 mg/l
	Soil			0.32 mg/kg
	Oral			56 mg/kg food

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.





Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state : Liquid.
Colour : Colourless.
Odour : Characteristic.
Odour threshold : Not known.

pH : 5

Solubility in water : Soluble.

Partition coefficient (n-octanol/water)

: Not applicable.

Contains surfactants. The O/W system emulsifies. Not measured. Not

relevant for mixtures.

Flash point : > 100 °C Closed cup.

Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.

Auto ignition temperature : > 210 °C

Product name : Shell Engine Cleaner Page 5/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

Boiling point/boiling range : 100 °C Melting point/melting range : 0 °C

Explosive properties : Not an explosive.

Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 0,5 (Hydrocarbons, C13-C18, n-alkanes,

isoalkanes, cyclics, < 2% aromatics)

Upper explosion limit in air (%): 5,9 (2-(2-Butoxyethoxy)ethanol)

Oxidising properties : Not applicable. Does not contain oxidizing substances.

Decomposition temperature: Not applicable.

Viscosity (20°C) : 1 mm2/sec (1 mm2/sec = 1cSt)

Viscosity (40°C) : 1 mm2/sec Vapour pressure (20°C) : 2300 Pa

Relative vapour density : > 1 (air = 1)

Relative density (20°C) : 0,986 g/ml

Particle characteristics : Not applicable. Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity: 17 %. ATE: > 5 mg/l. Low toxicity.

Not classified - based on available data, the classification criteria are not met. May cause

headache, dizziness and a feeling of sickness.

Corrosion/irritation : May cause irritation to respiratory airways and coughing. Not classified - based on available data,

the classification criteria are not met.

Product name : Shell Engine Cleaner Page 6/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Risk of serious damage to eyes.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Contains a substance/substances with an aspiration hazard. Not classified - based on available

data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Quaternary ammonium compounds,	Skin irritation	Irritant		
C12-14-alkyl(hydroxyethyl)dimethyl,				
ethoxylated, chlorides				
	Eye irritation	Highly irritant		
	LD50 (oral)	> 300 mg/kg bw		Rat
	Mutagenicity	Negative	OECD 471	
	Skin sensitisation	Not sensitizing		

11.2. Information on other hazards

Endocrine disrupting

: Not applicable.

properties

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Product name : Shell Engine Cleaner Page 7/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

Ecotoxicity : Calculated LC50 (fish): 8 mg/l. Calculated EC50 (waterflea): 4 mg/l. Contains 0 % of components

with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met. May form an oil film on the water surface causing a decline in

oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability: No specific information known. The surfactants contained in this preparation comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting

: Not applicable.

properties

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

 $European \ waste \ catalogue \ : \ Dispose \ hazardous \ waste \ in \ accordance \ with \ Directive \ 91/689/EEC \ under \ acknowledgement \ of \ a$

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulation

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

Product name : Shell Engine Cleaner Page 8/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety

assessment

: Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

Product name : Shell Engine Cleaner Page 9/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

UFI : Unique formula identifier
VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Eye Dam. 1 : Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4 : Acute toxicity, category 4.
Skin Irrit. 2 : Skin irritation, category 2.
Eye Dam. 1 : Serious eye damage, category 1.

Eye Irrit. 2 : Eye irritation, category 2. Asp. Tox. 1 : Aspiration hazard, category 1.

Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3. Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2022-06-09

Product name : Shell Engine Cleaner Page 10/10

Date of issue : 2022-04-29 Replaces issue dated : 2019-07-11 INFO CARE SDS