

According to Regulation (EU) No 2020/878

#### **SECTION 1** IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL DE-ICER

Product code : CRX492, 09727020; 09727021; 09727025; AT08I; 50401

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC0 Car maintenance. PC4 De-icer.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.

Al. Jerozolimskie 146

02-305 Warszawa, Poland

Telephone : +48 22 822 5390 E-mail : msds@kemetyl.com Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

Poisons Information Center +354 543 22 22 (24/7)

#### **SECTION 2** HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

CLP classification : Flammable liquid, category 3. Specific target organ toxicity — repeated exposure, category 2.

(1272/2008/EC)

Human health hazards : May cause damage to organs through prolonged or repeated exposure.

Physical/chemical hazards : Flammable.

**Environmental hazards** : Not classified as dangerous according to statutory EC-Directives.

Other information : Do not breathe spray. Use only in well-ventilated areas.

# 2.2. Label elements

Date of issue

Label elements (1272/2008/EC):

Hazard pictograms





Signal word : Warning

H- and P-phrases : H226 Flammable liquid and vapour.

> H373 kidneys May cause damage to kidneys through prolonged or repeated exposure. P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P260 aerosol Do not breathe spray.

Product name : Shell De-Icer Page 1/11

> : 2021-07-12 : 2018-05-22 Replaces issue dated SDS 'autogenerated' by Aminchi



According to Regulation (EU) No 2020/878

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms

Signal word : Warning

H- and P-phrases : H373 kidneys May cause damage to kidneys through prolonged or repeated exposure.

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

P260 aerosol Do not breathe spray.

P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Ethanediol .

Other information : According to Regulation (EC) No 1272/2008, the packaging of this product shall carry a tactile

warning of danger.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

#### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Ethanol	25 - < 50	64-17-5	200-578-6	1	01-2119457610-43
Ethanediol	10 - < 25	107-21-1	203-473-3		01-2119456816-28
Propan-2-ol	0,1 - < 1	67-63-0	200-661-7		01-2119457558-25
Butanone	0,1 - < 1	78-93-3	201-159-0		01-2119457290-43

Substance name	Hazard Class	H-phrases	Pictograms	
Ethanol	Flam. Liq. 2; Eye Irrit. 2	H225; H319	GHS02; GHS07	H319 : C >= 50 %
Ethanediol	Acute Tox. 4; STOT RE	H302; H373	GHS07; GHS08	
	2			
Propan-2-ol	Flam. Liq. 2; Eye Irrit.	H225; H319; H336	GHS02; GHS07;	
	2; STOT SE 3		GHS07	
Butanone	Flam. Liq. 2; Eye Irrit.	H225; H319; H336;	GHS02; GHS07;	
	2; STOT SE 3	EUH066	GHS07	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

#### **SECTION 4 FIRST-AID MEASURES**

# 4.1. Description of first aid measures

Product name : Shell De-Icer Page 2/11

Date of issue : 2021-07-12 : 2018-05-22 Replaces issue dated SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

# Kemetyl

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries Skin contact

up.

Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists. Eye contact

Ingestion Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth

to an unconscious person. Consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness. May cause irritation to respiratory

airways and coughing.

Skin contact May cause dry skin.

May cause stinging of eyes and redness. Eye contact

May cause a feeling of sickness, vomiting and diarrhoea. Ingestion

# 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians

: Risk of metabolic acidosis. General

#### **SECTION 5 FIRE-FIGHTING MEASURES**

## 5.1. Extinguishing media

Extinguishing media

Suitable Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.

Not suitable Water jet.

## 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

# 5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

#### ACCIDENTAL RELEASE MEASURES **SECTION 6**

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact

with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are

heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

## 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

## 6.3. Methods and material for containment and cleaning up

Product name : Shell De-Icer Page 3/11

Date of issue : 2021-07-12 Replaces issue dated : 2018-05-22 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Methods for cleaning up

: Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections: See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe spray. Do not breathe vapour. Avoid contact with skin and

eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Protect from sunlight. Keep away from

oxidizing agents. Keep away from food, drink and animal feedingstuffs.

Recommended packaging :

Non recommended

packaging

: Steel (except stainless steel).

Keep only in the original container.

## 7.3. Specific end use(s)

Use : Use only as directed. NOT to be used inside a vehicle - For external use only.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

## Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Ethanol	GB	1920	-	-	
Ethanediol	EC	52	104	Skin	
Ethanediol	GB	52	104	Skin	
Propan-2-ol	GB	999	1250	-	
Butanone	EC	600	900	-	
Butanone	GB	600	899	Skin; BMGV	

# Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	1900 mg/m3			950 mg/m3
	Dermal				343 mg/kg bw/day
Ethanediol	Dermal				106 mg/kg bw/day
	Inhalation			35 mg/m3	
Propan-2-ol	Dermal				888 mg/kg bw/day

Product name : Shell De-Icer Page 4/11

Date of issue : 2021-07-12 Replaces issue dated : 2018-05-22 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

# Kemetyl

	Inhalation		500 mg/m3
Butanone	Dermal		1161 mg/kg bw/day
	Inhalation		600 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-t	DNEL, short-term		DNEL, long-term	
	exposure					
	*	Local effect	Systemic effect	Local effect	Systemic effect	
Ethanol	Inhalation	950 mg/m3		Ì	114 mg/m3	
	Dermal	İ	İ		206 mg/kg bw/day	
	Oral				87 mg/kg bw/day	
Ethanediol	Dermal				53 mg/kg bw/day	
	Inhalation			7 mg/m3		
Propan-2-ol	Dermal				319 mg/kg bw/day	
•	Inhalation				89 mg/m3	
	Oral				26 mg/kg bw/day	
Butanone	Dermal				412 mg/kg bw/day	
	Inhalation				106 mg/m3	
	Oral				31 mg/kg bw/day	

## Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food
Ethanediol	Water	10 mg/l	1 mg/l	
	Sediment	20,9 mg/kg		
	Intermittent water			10 mg/l
	STP			199,5 mg/l
	Soil			1,53 mg/kg
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
·	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
	Oral			160 mg/kg food
Butanone	Water	55,8 mg/l	55,8 mg/l	
	Sediment	284,74 mg/kg	284,7 mg/kg	
	Intermittent water			55,8 mg/l
	STP			709 mg/l
	Soil			22,5 mg/kg
	Oral			1000 mg/kg food

## 8.2. Exposure controls

Date of issue

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

: 2021-07-12

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Product name : Shell De-Icer Page 5/11

Replaces issue dated : 2018-05-22 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale Respiratory protection

Closed cup.

Liquid. See flashpoint.

(1 mm2/sec = 1 cSt)

(air = 1)

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

: Not applicable.

Under normal conditions of use specific gloves are not required. Wear suitable gloves in case of Hand protection

frequent or prolonged use and in case of large scale exposure in accordance with EN 374. Suitable

material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid. Colour Blue.

Odour Characteristic. Odour threshold Not known. Hq 6.75 Solubility in water Soluble.

Partition coefficient (n-oc-

tanol/water)

Flash point : 25 °C

Flammability (solid, gas) : Not applicable.

Auto ignition temperature : > 304 °C Boiling point/boiling range : 78 °C

Melting point/melting range : -60 °C

Explosive properties Not an explosive.

Explosion limits (% in air) Lower explosion limit in air (%): 3,2 ( Ethanediol ) Not known.

Upper explosion limit in air (%): 19 ( Ethanol )

Not measured. Not relevant for mixtures.

Oxidising properties Not applicable. Does not contain oxidizing substances.

Decomposition temperature: Not applicable.

Viscosity (20°C) : 19 mm2/sec

Viscosity (40°C) : 1 mm2/sec Vapour pressure (20°C) : > 2300 Pa

Relative vapour density : >1

Relative density (20°C) : 0,96 g/ml

Particle characteristics : Not applicable. Liquid.

9.2. Other information

Other information : Not relevant.

#### **SECTION 10** STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

: Stable under normal conditions. Stability

10.3. Possibility of hazardous reactions

: No other hazardous reactions known. Reactivity

10.4. Conditions to avoid

Product name : Shell De-Icer Page 6/11

Date of issue : 2021-07-12 Replaces issue dated : 2018-05-22 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

# Kemetyl

Conditions to avoid : See section 7.

## 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

## 10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

#### **TOXICOLOGICAL INFORMATION SECTION 11**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

: Calculated LC50: > 9,269 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low Acute toxicity

toxicity. Not classified - based on available data, the classification criteria are not met. May cause

headache, dizziness and a feeling of sickness.

Corrosion/irritation May cause irritation to respiratory airways and coughing. Not classified - based on available data,

the classification criteria are not met.

Sensitisation Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity Not classified - based on available data, the classification criteria are not met.

Does not contain mutagenic substances. Not classified - based on available data, the classification Mutagenicity

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Ingestion

Date of issue

: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Acute toxicity

Low toxicity. Not classified - based on available data, the classification criteria are not met. May

cause hampered evesight.

Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain

substances with an aspiration hazard.

Chronic toxicity : Possibility of organ or organ system damage due to prolonged exposure. Target organ(s): Kidneys.

Effect: May cause nephrolithiasis.

: May cause a feeling of sickness, vomiting and diarrhoea. Corrosion/irritation

: Not classified - based on available data, the classification criteria are not met. Carcinogenicity

: Does not contain mutagenic substances. Not classified - based on available data, the classification Mutagenicity

criteria are not met.

: 2021-07-12

: Development: Not expected to be reprotoxic. Development: Not classified - Based on available Reprotoxicity

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

Replaces issue dated

Product name : Shell De-Icer Page 7/11

> : 2018-05-22 SDS 'autogenerated' by Aminchi



According to Regulation (EU) No 2020/878

Toxicological information:

Chemical name	Property		Method	Test animal
Ethanediol	NOAEL (development,	250 mg/kg bw/d		Rat
	oral)			
	LD50 (dermal)	10600 mg/kg bw		
	Mutagenicity	Not mutagenic		
	Genotoxicity - in vitro	Not genotoxic		
	Skin irritation	Non-irritant		Rabbit
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
İ	NOEL (inhalation)	71 mg/m3		
	LD50 (oral)	7712 mg/kg bw		Rat
	Eye irritation	Non-irritant		Rabbit
	LD50 (oral) - estimate	500 mg/kg bw		
	LC50 (inhalation)	> 2500 mg/m3		Rat
	LC50 (inhalation) -	> 5000 mg/m3		
	estimate			
	NOAEL (oral)	150 mg/kg bw/d	OECD 452	Rat
	NOEL (carcinogenicity,	1000 mg/kg bw/d		Rat
	oral)			

Other information : Ethanediol There is a marked difference in acute oral toxicity between rodents and man, man being

more susceptible than rodents. The estimated fatal dose for man is 100 millilitres (1/2 cup).

### 11.2. Information on other hazards

Endocrine disrupting

: Not applicable.

properties

Other information : Not applicable.

# SECTION 12 ECOLOGICAL INFORMATION

## 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 5392 mg/l. Calculated EC50 (waterflea): 380 mg/l. Contains 0 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

## 12.2. Persistence and degradability

Persistence - degradability: No specific information known. The surfactants contained in this preparation comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

## 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

# 12.6. Endocrine disrupting properties

Endocrine disrupting

: Not applicable.

: 2021-07-12

properties

Date of issue

Product name : Shell De-Icer Page 8/11

Replaces issue dated : 2018-05-22 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

### 12.7. Other adverse effects

Other adverse effects : Not applicable.

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

Additional warning Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.

Waste water discharge Do not dispose into the environment, in drains or in water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

#### **SECTION 14** TRANSPORT INFORMATION

### 14.1. UN number or ID number

: UN 1170 UN nr.

## 14.2. UN proper shipping name

Transport name : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) Transport name (IMDG, : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

IATA)

## 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 3 Classification code : F1 Packaging group : III Danger label : 3 Tunnel restriction : D/E

code

Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 3 Packaging group : 111

EmS (fire / spill) : F-E/S-D

Marine pollutant : No

IATA (air)

Class : 3

Product name : Shell De-Icer Page 9/11

Date of issue : 2021-07-12 : 2018-05-22 Replaces issue dated SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

## 14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to

the transport of this product.

### 14.7. Maritime transport in bulk according to IMO instruments

: Not intended to be carried in bulk according to International Maritime Organisation (IMO) Marpol

instruments. Packaged liquids are not considered bulk.

#### **SECTION 15 REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations.

## 15.2. Chemical safety assessment

: Not applicable. Chemical safety

assessment

#### **SECTION 16 OTHER INFORMATION**

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

: European Agreement concerning the International Carriage of Dangerous Goods by Road ADR

ATE **Acute Toxicity Estimate** 

CLP Classification, Labeling & Packaging

CMR Carcinogenic, Mutagenic or toxic for Reproduction

**EEC European Economic Community** 

GHS Globally Harmonized System of Classification and Labelling of Chemicals

IATA International Air Transport Association IBC code International Bulk Chemical Code

**IMDG** International Maritime Dangerous Goods Code LD50/LC50 Lethal Dose/Concentration for 50% of a population

MAC Maximum Allowable Concentration

MARPOL International Convention for the Prevention of Pollution From Ships

NO(A)EL No Observed (Adverse) Effect Level

OECD Organisation for Economic Co-operation and Development

**PBT** Persistent, Bioaccumulative and Toxic

PC Chemical product category

PT Product type

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

STP Sewage Treatment Plant

Product name : Shell De-Icer Page 10/11

Date of issue : 2021-07-12 Replaces issue dated : 2018-05-22 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

# Kemetyl

SU Sector of Use

Time-Weighted Average/Short Term Exposure Limit TWA/STEL

**United Nations** UN

UFI Unique formula identifier VOC Volatile Organic Compounds

Very Persistent and Very Bioaccumulative vPvB

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Liq. 3 : On basis of test data. STOT RE 2 : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2 : Flammable liquid, category 2. : Acute toxicity, category 4. Acute Tox. 4 Eve Irrit. 2 : Eye irritation, category 2.

STOT SE 3 : Specific target organ toxicity after single exposure, category 3. STOT RE 2 : Specific target organ toxicity — repeated exposure, category 2.

Full text of H-phrases mentioned in section 3:

Highly flammable liquid and vapour. H225

H302 Harmful if swallowed. H319 Causes serious eye irritation. May cause drowsiness or dizziness. H336

H373 May cause damage to organs through prolonged or repeated exposure.

EUH066 Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2021-07-12

Product name : Shell De-Icer Page 11/11 Date of issue : 2021-07-12 : 2018-05-22 Replaces issue dated

SDS 'autogenerated' by Aminchi