

According to Regulation (EU) No 2020/878

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL WAX SHAMPOO

Product code : CRX499, 09201615; 09201616; 09201617; 09720020; AC30J; 09201000; 50407

UFI : U250-N09H-Q006-QEA1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC35 Other vehicle (all types) cleaning and care

products.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Nederland BV

Industrieweg 30

3762 EK Soest, The Netherlands

Telephone : +31-35 7604900
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-35-6099310 (During office hours only)

### SECTION 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Serious eye damage, category 1. Skin sensitization, category 1.

(1272/2008/EC)

Human health hazards : Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

### 2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms





Signal word : Danger

H- and P-phrases : H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 hands Wear protective gloves and eye protection.

eyes

Product name : Shell Wax Shampoo Page 1/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+ P338 lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :

Signal word : Danger

H- and P-phrases : H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 hands Wear protective gloves and eye protection.

eyes

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+ P338 lenses, if present and easy to do. Continue rinsing. P310 lmmediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Alcohols, C12-14, ethoxylated, sulfates, sodium salts ; 2-Octyl-2H-isothiazol-3-one ;

Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs., compounds with triethanolamine .

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)			
Anionic surfactants	5 - 15			
Non-ionic surfactants	< 5			
Perfumes, 2-Bromo-2-nitropropane-1,3-diol, Octylisothiazolinone, Methylchloroisothiazolinone, Methylisothiazolinone.				

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Benzenesulphonic acid, 4-C10-13-	3 - < 5		939-464-2		
sec-alkyl derivs., compounds with tri-					
ethanolamine					
Alcohols, C12-14, ethoxylated, sulfates	1 - < 5	68891-38-3	500-234-8		01-2119488639-16
, sodium salts					
Sodium chloride	1 - < 5	7647-14-5	231-598-3	MAC	
Oxydipropanol	0,1 - < 1	25265-71-8	246-770-3	MAC	01-2119456811-38
2-Octyl-2H-isothiazol-3-one	0,0015 - < 0,1	26530-20-1	247-761-7		

Substance name	Hazard Class	H-phrases	Pictograms	

Product name : Shell Wax Shampoo Page 2/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

### Kemetyl

Benzenesulphonic acid, 4-C10-13-	Aquatic Chronic 3; Eye	H314; H318; H412	GHS05	H315 : C >= 1 %
sec-alkyl derivs., compounds with tri-	Dam. 1; Skin Corr. 1C			H314 C : C >= 50 %
ethanolamine				
Alcohols, C12-14, ethoxylated, sulfates	Aquatic Chronic 3; Eye	H315; H318; H412	GHS05	H319 : C >= 5 %
, sodium salts	Dam. 1; Skin Irrit. 2			H318 : C >= 10 %
Sodium chloride				
Oxydipropanol				
2-Octyl-2H-isothiazol-3-one	Skin Corr. 1B; Acute	H301; H311; H330;	GHS05; GHS06;	M (acute) = 100
	Tox. 2; Eye Dam. 1;	H314; H318; H317;	GHS09	M (chronic) = 100
	Skin Sens. 1A; Aquatic	H400; H410; EUH071		H317 : C >= 0,0015 %
	Acute 1; Aquatic			
	Chronic 1			

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

### SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult

a doctor if irritation occurs.

Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor

immediately.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a

knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim

feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : No specific effects and/or symptoms are known.

Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May

cause dry skin.

Eye contact : Strongly irritant. Irreversible effects on the eye/serious damage to eyes. May cause redness and

severe pain.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

### SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : None known.

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Product name : Shell Wax Shampoo Page 3/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

### Kemetyl

Hazardous thermal decomposition products

: Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters

: Use adequate respiratory equipment in case of insufficient ventilation.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water.

### 6.4. Reference to other sections

Reference to other sections: See also section 8.

### SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C).

Recommended packaging Non recommended

packaging

Keep only in the original container.Steel (except stainless steel).

### 7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

### SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

Workplace exposure limits (mg/m³):

Product name : Shell Wax Shampoo Page 4/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

### Kemetyl

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Sodium chloride		10	-	-	Dow chemical, Industrial
					Hygiene Guidelines
Oxydipropanol		67	-		MAC: DE

### Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	Y	Local effect	Systemic effect	Local effect	Systemic effect
Benzenesulphonic acid, 4-C10-13-	Inhalation				4,1 mg/m3
sec-alkyl derivs., compounds with tri-					
ethanolamine					
	Dermal	İ			5,29 mg/kg bw/day
Alcohols, C12-14, ethoxylated, sulfates , sodium salts	Dermal				2750 mg/kg bw/day
	Inhalation				175 mg/m3
Sodium chloride	Dermal		295,52 mg/kg		295,52 mg/kg bw/day
			bw		
	Inhalation		2068,62 mg/m3		2068,62 mg/m3
Oxydipropanol	Dermal				84 mg/kg bw/day
	Inhalation				238 mg/m3

### Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	*	Local effect	Systemic effect	Local effect	Systemic effect
Benzenesulphonic acid, 4-C10-13-	Inhalation				1,01 mg/m3
sec-alkyl derivs., compounds with tri-					
ethanolamine					
	Dermal		Ï		1,2 mg/kg bw/day
	Oral				0,58 mg/kg bw/day
Alcohols, C12-14, ethoxylated, sulfates , sodium salts	Dermal				1650 mg/kg bw/day
	Inhalation				52 mg/m3
	Oral				15 mg/kg bw/day
Sodium chloride	Dermal		126,65 mg/kg bw		126,65 mg/kg bw/day
	Inhalation		443,28 mg/m3		443,28 mg/m3
	Oral		126,65 mg/kg		126,65 mg/kg bw/day
			bw		
Oxydipropanol	Dermal				51 mg/kg bw/day
	Inhalation				70 mg/m3
	Oral				24 mg/kg bw/day

### Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Benzenesulphonic acid, 4-C10-13	Water	0,268 mg/l	0,027 mg/l	
-sec-alkyl derivs., compounds with				
triethanolamine				
	Sediment	8,1 mg/kg		
	STP			7 mg/l
	Soil			35 mg/kg
Alcohols, C12-14, ethoxylated, sulfates	Water	0,24 mg/l	0,024 mg/l	
, sodium salts				
	Sediment	5,45 mg/kg	0,545 mg/kg	

Product name : Shell Wax Shampoo Page 5/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

	Intermittent water			0,071 mg/l
	STP			10000 mg/l
	Soil			0,946 mg/kg
Sodium chloride	Water	5 mg/l		
	Intermittent water			19 mg/l
	STP			500 mg/l
	Soil			4,86 mg/kg
Oxydipropanol	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,238 mg/kg	0,0238 mg/kg	
	Intermittent water			1 mg/l
	STP			1000 mg/l
	Soil			0,0253 mg/kg
	Oral			313 mg/kg food
2-Octyl-2H-isothiazol-3-one	Water	0.002 mg/l	0.0002 mg/l	
	Sediment	0.047 mg/kg	0.004 mg/kg	
	Soil			0.008 mg/kg

### 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.







Body protection Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN

365/367 resp. 345. Suitable material: butyl. Indication of permeation breakthrough time: 6 hours.

Respiratory protection Take care of sufficient ventilation.

Hand protection Wear appropriate safety gloves in accordance with EN 374. Suitable material: butyl. 0,7 mm.

Indication of permeation breakthrough time: 6 hours.

Eye protection Wear appropriate safety glasses with side shields, in accordance with EN 166.

#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid. Colour Yellow. Odour Perfumed. Odour threshold Not known. : 7

рΗ

Solubility in water : Soluble. Partition coefficient (n-oc-

Melting point/melting range: 0 °C

tanol/water) Flash point

: Not applicable.

Contains surfactants. The O/W system emulsifies. Not measured. Not

relevant for mixtures.

Liquid. See flashpoint.

: > 100 °C Closed cup.

Flammability (solid, gas) : Not applicable. Auto ignition temperature

: > 180 °C

Boiling point/boiling range : 100 °C

Explosive properties : Not an explosive.

Page 6/12 Product name : Shell Wax Shampoo Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 **INFO CARE SDS** 



According to Regulation (EU) No 2020/878

### Kemetyl

Explosion limits (% in air) : Not known.

Oxidising properties : Not applicable. Does not contain oxidizing substances.

Decomposition temperature: Not applicable.

Viscosity (20°C) : 300 mm2/sec (1 mm2/sec = 1cSt)

Viscosity (40°C) : Not relevant. The product contains < 10% substances having an aspiration hazard.

Vapour pressure (20°C) : 2300 Pa

Relative vapour density : > 1 The solvent content of this product is less than 1%.

Relative density (20°C) : 1 g/ml

Particle characteristics : Not applicable. Liquid.

9.2. Other information

Other information : Not relevant.

### SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : No specific recommendations.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

### SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 5 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. No specific effects and/or

symptoms are known.

Corrosion/irritation : No specific effects and/or symptoms are known. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria

are not met. Does not contain carcinogenic substances.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Product name : Shell Wax Shampoo Page 7/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin. Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Eye contact

Corrosion/irritation : Risk of serious damage to eyes.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration

hazard. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

### Toxicological information:

Chemical name	Property		Method	Test animal
Benzenesulphonic acid, 4-C10-13	LD50 (oral) - estimate	> 2000 mg/kg bw	Read across	Rat
-sec-alkyl derivs., compounds with				
triethanolamine				
	LD50 (dermal) -	> 2000 mg/kg bw	Read across	Rat
	estimate			
	Skin irritation - estimate	Irritant	Read across	Rabbit
	Eye irritation - estimate	Severely irritant	Read across	Rabbit
	Genotoxicity - estimate	Not genotoxic	Read across	
	Skin sensitisation -	Not sensitizing	Read across	Guinea pig
	estimate			
	NOAEL (oral) -	85 mg/kg bw/d	Read across	Rat
	estimate			
Alcohols, C12-14, ethoxylated, sulfates	Mutagenicity	Negative	OECD 471	
, sodium salts	L			L
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (development,	> 1000 mg/kg bw/d	OECD 414	Rat
	oral)			
		> 300 mg/kg bw/d	OECD 416	Rat
	NOEL (carcinogenicity)	> 75 mg/kg.d	Read across	Rat
	- estimate	4400 //	0500 404	D-4
	LD50 (oral)	4100 mg/kg bw	OECD 401	Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	1	Negative	OECD 475	Mouse
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
		> 225 mg/kg bw/d	OECD 408	Rat
	•	Not genotoxic	OECD 476	
	LC50 (inhalation) -	> 5000 mg/m3	Read across	
	estimate			
2-Octyl-2H-isothiazol-3-one	LD50 (oral)	550 mg/kg bw	<b> </b>	Rat

Product name : Shell Wax Shampoo : Page 8/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

### Kemetyl

LD50 (dermal)	690 mg/kg bw		Rabbit
Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
Eye irritation	Severely irritant		Rabbit
LC50 (inhalation) -	270 mg/m3	ATE	
estimate			
LD50 (dermal) -	311 mg/kg bw	ATE	
estimate			
LD50 (oral) - estimate	125 mg/kg bw	ATE	
Mutagenicity	Negative	OECD 471	Salmonella typhimurium

### 11.2. Information on other hazards

Endocrine disrupting

: Not applicable.

properties

12.1. Toxicity

Other information : Not applicable.

### SECTION 12 ECOLOGICAL INFORMATION

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 19 mg/l. Calculated EC50 (waterflea): 103 mg/l. Contains 0 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability: No specific information known. The surfactants contained in this preparation comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting

: Not applicable.

properties

12.7. Other adverse effects

Other adverse effects : Not applicable.

### SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

Product name : Shell Wax Shampoo Page 9/12
Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

### **SECTION 14 TRANSPORT INFORMATION**

### 14.1. UN number or ID number

UN nr. : None.

### 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

### SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations.

### 15.2. Chemical safety assessment

Chemical safety

: Not applicable.

assessment

### SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Product name : Shell Wax Shampoo Page 10/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

### Kemetyl

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association
IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

UFI : Unique formula identifier
VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2 : Calculation method. Eye Dam. 1 : Calculation method. Skin Sens. 1/1A/1B : Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 3 : Acute toxicity, category 3. Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.

Skin Irrit. 2 : Skin irritation, category 2.

Eye Dam. 1 : Serious eye damage, category 1.

Eye Dam. 1 : Serious eye damage, category 1. Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B.

Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.

Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.

Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Product name : Shell Wax Shampoo Page 11/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS



According to Regulation (EU) No 2020/878

### Kemetyl

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2021-05-20

Product name : Shell Wax Shampoo Page 12/12

Date of issue : 2021-02-23 Replaces issue dated : 2019-12-04 INFO CARE SDS