

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL WAX POLISH

Product code : CRX500, 09205524; 09205526; 50409

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC31 Polishes and wax blends. Exterior care products - all vehicle types.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Nederland BV

Industrieweg 30

3762 EK Soest, The Netherlands

Telephone : +31-35 7604900
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-35-6099310 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Not classified as dangerous according to Regulation (EC) No 1272/2008.

(1272/2008/EC)

Human health hazards : May produce an allergic reaction. Contains petroleum distillates, may be harmful when ingested.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms: None.

Signal word : Not applicable.

H- and P-phrases : EUH208 Contains ... May produce an allergic reaction. Reference is made to additional

labelling for full text of EUH208*.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : EUH208 Contains ... May produce an allergic reaction. Reference is made to additional

labelling for full text of EUH208*.

Additional labelling (for all packaging sizes)

: * Contains 1,2-Benzisothiazol-3(2H)-one . May produce an allergic reaction.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances.

Product name : Shell Wax Polish Page 1/10
Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 INFO CARE SDS



According to Regulation (EU) No 2020/878

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

*

3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Aluminium oxide	10 - < 20	1344-28-1	215-691-6	MAC	01-2119529248-35
Hydrocarbons, C11-14, n-alkanes,	10 - < 20	 	926-141-6		01-2119456620-43
isoalkanes, cyclics, < 2% aromatics					
1,2-Benzisothiazol-3(2H)-one	< 0,05	2634-33-5	220-120-9		01-2120761540-60

Substance name	Hazard Class	H-phrases	Pictograms	
Aluminium oxide				
Hydrocarbons, C11-14, n-alkanes,	Asp. Tox. 1	H304; EUH066	GHS08	
isoalkanes, cyclics, < 2% aromatics				
1,2-Benzisothiazol-3(2H)-one	Acute Tox. 4; Skin Irrit.	H302; H315; H317;	GHS05; GHS07;	H317 : C >= 0,05 %
	2; Skin Sens. 1; Eye	H318; H400	GHS09	
	Dam. 1; Aquatic Acute			
	1			

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.

Consult a doctor if irritation occurs.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Never give anything by mouth to

an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness. Skin contact : May produce an allergic reaction. May cause dry skin.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and

lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Product name : Shell Wax Polish Page 2/10

Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog. Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal decomposition products Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective

: Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Vapours are

heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

6.3. Methods and material for containment and cleaning up

: Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an Methods for cleaning up

authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Handling

Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Storage

Recommended packaging

Keep only in the original container. : Steel (except stainless steel). PE and PP.

Non recommended

packaging

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Product name : Shell Wax Polish Page 3/10

Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 **INFO CARE SDS**



According to Regulation (EU) No 2020/878

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

, , , , , , , , , , , , , , , , , , ,					
Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Aluminium oxide	GB	10	-	-	
Aluminium oxide	Ĭ	6	-		OEL: HU, UA, AT
Hydrocarbons, C11-14, n-alkanes,	Ī	1200	-	ļ-	CEFIC-HSPA
isoalkanes, cyclics, < 2% aromatics					

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
Local effect		Local effect	Systemic effect	Local effect	Systemic effect
Aluminium oxide	Inhalation			15,63 mg/m3	
1,2-Benzisothiazol-3(2H)-one	Inhalation				6.81 mg/m3
	Dermal				0.966 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	,	Local effect	Systemic effect	Local effect	Systemic effect
Aluminium oxide	Oral				3,29 mg/kg bw/day
1,2-Benzisothiazol-3(2H)-one	Inhalation		İ		1.2 mg/m3
	Dermal		Ī		0.345 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Aluminium oxide	STP			20 mg/l
1,2-Benzisothiazol-3(2H)-one	Water	0.00403 mg/l	0.000403 mg/l	
	Sediment	0.0499 mg/kg	0.00499 mg/kg	
	STP			1.03 mg/l
	Soil			3 mg/kg

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. In

case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots.

Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case

of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. 0,4 mm.

Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Product name : Shell Wax Polish Page 4/10

Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 INFO CARE SDS



According to Regulation (EU) No 2020/878

9.1. Information on basic physical and chemical properties

Physical state : Liquid. Colour Off white. Odour Perfumed.

Odour threshold Not known. Not measured. Not relevant.

Hq 8

Solubility in water Soluble.

Partition coefficient (n-oc-

tanol/water)

Not known.

Not measured. Not relevant for mixtures.

Flash point : > 100 °C Closed cup.

Flammability (solid, gas) Liquid. See flashpoint. Not applicable.

: > 190 °C Auto ignition temperature Boiling point/boiling range 100 °C

Melting point/melting range: 0 °C

Explosive properties Not an explosive.

Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 0,6 (Hydrocarbons, C11-14, n-alkanes,

isoalkanes, cyclics, < 2% aromatics)

Upper explosion limit in air (%): 5,5 (Hydrocarbons, C11-14, n-alkanes,

isoalkanes, cyclics, < 2% aromatics)

Oxidising properties Not applicable. Does not contain oxidizing substances.

Decomposition temperature : Not applicable.

Viscosity (20°C) 7000 mm2/sec (1 mm2/sec = 1 cSt)

Viscosity (40°C) 6500 mm2/sec

Vapour pressure (20°C) : 2300 Pa

Relative vapour density : >1 (air = 1)

Relative density (20°C) : 1 g/ml

Particle characteristics : Not applicable. Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

: Shell Wax Polish Product name Page 5/10

Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 **INFO CARE SDS**



According to Regulation (EU) No 2020/878

1101110171

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

*

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 2 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. May cause headache,

dizziness and a feeling of sickness.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Sensitisation : May produce an allergic reaction.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not classified - based on available data, the classification criteria are not met. Highly viscous liquid.

Contains a substance/substances with an aspiration hazard. Emulsion may break after ingestion. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing. After ingestion, at vomiting, risk of aspiration in the

lungs.

Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
1,2-Benzisothiazol-3(2H)-one	LD50 (oral)	1020 mg/kg bw		Rat
	LC50 (inhalation)	100 mg/m3		Rat
	Skin irritation	Irritant		Rabbit
	Eye irritation	Severely irritant		Rabbit

Product name : Shell Wax Polish Page 6/10

Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
NOAEL (oral)	30 mg/kg bw/d	OECD 408	Rat
Genotoxicity - in vitro	Genotoxic	OECD 473	
Genotoxicity - in vivo	250 mg/kg bw/d	OECD 474	Mouse
NOAEL (development,	Not teratogenic		
oral)	-		
NOAEL (fertility, oral)	24 mg/kg bw/d		Rat
LD50 (dermal)	4115 mg/kg bw		Rat

11.2. Information on other hazards

Endocrine disrupting

properties

: Not applicable.

Other information

: Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity

: Calculated LC50 (fish): 417 mg/l. Calculated EC50 (waterflea): 75 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability: No specific information known. The surfactants contained in this preparation do not comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents. This product shall not be used in cleaners.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

: Does not contain PBT or vPvB substances. PBT/vPvB assessment

12.6. Endocrine disrupting properties

Endocrine disrupting

properties

: Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as chemical waste. Dispose waste to an official chemical

waste depot.

Product name : Shell Wax Polish Page 7/10 Date of issue : 2022-03-16 : 2019-09-06 Replaces issue dated **INFO CARE SDS**



According to Regulation (EU) No 2020/878

Kemetyl

Additional warning

: None.

Waste water discharge

Do not dispose into the environment, in drains or in water courses.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations. Directive 2008/98/EC (waste).

: This product is exempted from classification as "May be fatal if swallowed and enters airways" on

basis of section 3.10.3.3.1.1. of Annex I of Regulation (EC) No 1272/2008.

15.2. Chemical safety assessment

Chemical safety assessment

: Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this

Product name : Shell Wax Polish Page 8/10

Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

UFI : Unique formula identifier
VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Not classified : Based on test methods, experts judgement, bridging principles and calculation methods.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4 : Acute toxicity, category 4. Skin Irrit. 2 : Skin irritation, category 2.

Eye Dam. 1 : Serious eye damage, category 1. Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B. Asp. Tox. 1 : Aspiration hazard, category 1.

Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.

EUH066 Repeated exposure may cause skin dryness or cracking.

Product name : Shell Wax Polish Page 9/10
Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 INFO CARE SDS



According to Regulation (EU) No 2020/878

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2022-03-17

Product name : Shell Wax Polish Page 10/10
Date of issue : 2022-03-16 Replaces issue dated : 2019-09-06 INFO CARE SDS