

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

1.1. Floudet identilier			
Product name Product code	: SHELL WINTER SCREE : CRX710, AS10A	ENWASH READY TO USE	
1.2. Relevant identified u	ises of the substance or mi	xture and uses advised against	
Application	: SU21 Consumer product Windscreen wash.	t. PC35 Cleaning agent. PC35 Wind	dscreen/windshield wash fluid.
1.3. Details of the suppli	er of the safety data sheet		
Supplier	: Kemetyl Polska Sp. z o. Al. Jerozolimskie 146 02-305 Warszawa, Pola		
Telephone	: +48 22 822 5390		
E-mail	: msds@kemetyl.com		
Website	: www.kemetyl.com		
1.4. Emergency telephor	ne number		
EMERGENCY TELEPHO PL - Telephone	NE NUMBER, for DOCTORS : +48 22 822 5390	/FIRE BRIGADE/POLICE only:	(During office hours only)
EMERGENCY TELEPHO	NE NUMBER (for DOCTORS	only):	
Poisons Information Center	•	+354 543 22 22	(24/7)

## SECTION 2 HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Flammable liquid, category 3.
Human health hazards		Low hazard for usual industrial or commercial handling.
Physical/chemical hazards	·	Flammable.
Environmental hazards	:	Not classified as dangerous according to statutory EC-Directives.

## 2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms		
Signal word	: Warning	
H- and P-phrases	: H226 P102 P210 P501	Flammable liquid and vapour. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Product name
Date of issue

•••			Safety data sheet According to Regulation (EU) No 2020/878
Kemetyl			
Hazard pictograms			
Signal word	: Warning		
H- and P-phrases	: P102	Keep out of reach of children.	
Ingredient declaration	according to Regulati	on EC 648/2004:	
Contains:			Concentration (%)
Anionic surfactants			< 5
Perfumes, DMDM hyda	antoin, Methylchlorois	sothiazolinone, Methylisothiazolinone	2.

## 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS** 

## 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Ethanol	25 - < 50	64-17-5	200-578-6		01-2119457610-43
Ethanediol	1 - < 5	107-21-1	203-473-3		01-2119456816-28
Propan-2-ol	0,1 - < 1	67-63-0	200-661-7		01-2119457558-25
Butanone	0,1 - < 1	78-93-3	201-159-0		01-2119457290-43
Substance name	Hazard Class	H-	phrases	Pictograms	
Ethanol	Flam. Liq. 2; E	ye Irrit. 2 H2	225; H319	GHS02; GHS07	H319 : C >= 50 %
Ethanediol	Acute Tox. 4; S 2	TOT RE H	802; H373	GHS07; GHS08	
Propan-2-ol	Flam. Liq. 2; E 2; STOT SE 3	ye Irrit. H2	225; H319; H336	GHS02; GHS07	
Butanone	Flam. Liq. 2; E 2; STOT SE 3	·	225; H319; H336; JH066	GHS02; GHS07	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

#### **SECTION 4** FIRST-AID MEASURES

## 4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water before product dries up.
Eye contact	: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
Ingestion	Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.



According to Regulation (EU) No 2020/878

## 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms		
Inhalation	:	May cause headache, dizziness and a feeling of sickness.
Skin contact	:	May cause dry skin.
Eye contact	:	May cause stinging of eyes and redness.
Ingestion	:	May cause a feeling of sickness, vomiting and diarrhoea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	: Water jet. Use of heavy stream of water may spread fire.

## 5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

## 5.3. Advice for firefighters

Special protective	:	Use adequate respiratory equipment in case of insufficient ventilation.
equipment for fire-fighters		

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact
	with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are
	heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions	:	Avoid release of product into sewers, surface water and/or ground water. In case of large spills:
		contain with dike.
Other information	:	Notify authorities if any exposure to the general public or the environment occurs or is likely to
		occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

## 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

Product name Date of issue



According to Regulation (EU) No 2020/878

## 7.1. Precautions for safe handling

Handling	: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.
7.2. Conditions fo	r safe storage, including any incompatibilities
Storage	: Keep in a cool, dry and well-ventilated place (< 35 °C). Protect from sunlight. Keep away from

	oxidizing agents.
Recommended packaging	: Keep only in the original container.
Non recommended	: Steel (except stainless steel).
packaging	

## 7.3. Specific end use(s)

Use

: Use only as directed. Do not mix with other products. Do not breathe spray.

#### **SECTION 8** EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels limits (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Ethanol		260	1900	-	MAC: NL
Ethanol	GB	1920	-	-	
Ethanediol	EC	52	104	Skin	
Ethanediol	GB	52	104	Skin	
Propan-2-ol	GB	999	1250	-	
Butanone	EC	600	900	-	
Butanone	GB	600	899	Skin; BMGV	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-to	DNEL, short-term		DNEL, long-term	
	exposure					
	·	Local effect	Systemic effect	Local effect	Systemic effect	
Ethanol	Inhalation	1900 mg/m3			950 mg/m3	
	Dermal				343 mg/kg bw/day	
Ethanediol	Dermal				106 mg/kg bw/day	
	Inhalation			35 mg/m3		
Propan-2-ol	Dermal			-	888 mg/kg bw/day	
	Inhalation				500 mg/m3	
Butanone	Dermal				1161 mg/kg bw/day	
	Inhalation				600 mg/m3	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	950 mg/m3			114 mg/m3



According to Regulation (EU) No 2020/878

# Kemetyl

	Dermal			206 mg/kg bw/day
	Oral			87 mg/kg bw/day
Ethanediol	Dermal			53 mg/kg bw/day
	Inhalation		7 mg/m3	
Propan-2-ol	Dermal			319 mg/kg bw/day
	Inhalation			89 mg/m3
	Oral			26 mg/kg bw/day
Butanone	Dermal			412 mg/kg bw/day
	Inhalation			106 mg/m3
	Oral			31 mg/kg bw/day
Predicted no-effect concent	ration (PNEC):			
Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food
Ethanediol	Water	10 mg/l	1 mg/l	
	Sediment	20,9 mg/kg		
	Intermittent water			10 mg/l
	STP			199,5 mg/l
	Soil			1,53 mg/kg
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
	Oral			160 mg/kg food
Butanone	Water	55,8 mg/l	55,8 mg/l	
	Sediment	284,74 mg/kg	284,7 mg/kg	
	Intermittent water			55,8 mg/l
	STP			709 mg/l
	Soil			22,5 mg/kg
	Oral			1000 mg/kg food

## 8.2. Exposure controls

Engineering measures	: Use only in well-ventilated areas. Comply with standard precautionary measures for working with
	chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale
	exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Aminchi



According to Regulation (EU) No 2020/878

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	
Colour	: Blue.	
Odour	: Perfumed.	
Odour threshold	: Not known.	Not measured. Not relevant. Does not contain substances with a specific inhalation risk.
рН	: 7,5	
Solubility in water	: Soluble.	
Partition coefficient (n-oc- tanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: 27 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93).
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 240 °C	
Boiling point/boiling range	: 82 °C	
Melting point/melting range	: -21 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 3,2 (Ethanediol)
	:	Upper explosion limit in air (%): 19 ( Ethanol )
Oxidising properties	: Not applicable.	
Decomposition temperature	e: Not known.	
Viscosity (20°C)	: 1 mm2/sec	(1 mm2/sec = 1cSt)
Viscosity (40°C)	: 1 mm2/sec	
Vapour pressure (20°C)	: > 2300 Pa	
Relative vapour density	: >1	(air = 1)
Relative density (20°C)	: 0,957 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information

## : Not relevant.

#### **SECTION 10** STABILITY AND REACTIVITY

10.1. Reactivity					
Reactivity	: See sub-sections below.				
10.2. Chemical stability	10.2. Chemical stability				
Stability	: Stable under normal conditions.				
10.3. Possibility of hazard	10.3. Possibility of hazardous reactions				
Reactivity	: No other hazardous reactions known.				
10.4. Conditions to avoid					
Conditions to avoid	: See section 7.				
10.5. Incompatible materials					
ro.o. incompatible materia	als				
Materials to avoid	als : Keep away from oxidizing agents.				
•	: Keep away from oxidizing agents.				

products

Aminchi



According to Regulation (EU) No 2020/878

#### **TOXICOLOGICAL INFORMATION SECTION 11**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product. Inhalation

Inhalation	
Acute toxicity	<ul> <li>Calculated LC50: &gt; 10 mg/l. Ingredients of unknown toxicity: &lt; 1 %. ATE: &gt; 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.</li> </ul>
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Ingestion	
Acute toxicity	<ul> <li>Calculated LD50: &gt; 5000 mg/kg.bw. Ingredients of unknown toxicity: &lt; 1 %. ATE: &gt; 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause hampered eyesight.</li> </ul>
Aspiration	: Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	<ul> <li>Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.</li> </ul>
11.2. Information on othe	er hazards

#### Endocrine disrupting : Not applicable. properties Other information : Not applicable.

#### **SECTION 12 ECOLOGICAL INFORMATION**

## 12.1. Toxicity

No ecotoxicological research has been carried out on this product.



According to Regulation (EU) No 2020/878

Ecotoxicity

: Calculated LC50 (fish): 639 mg/l. Calculated EC50 (waterflea): 358 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

Persistence - degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

## 12.3. Bioaccumulative potential

Bioaccumulative potential	:	Contains bioaccumulating substances.
---------------------------	---	--------------------------------------

## 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

## 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## 12.6. Endocrine disrupting properties

Endocrine disrupting : Not applicable. properties

## 12.7. Other adverse effects

Other adverse effects : Not applicable.

**SECTION 13 DISPOSAL CONSIDERATIONS** 

## 13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

#### **SECTION 14 TRANSPORT INFORMATION**

## 14.1. UN number or ID number

UN nr. : UN 1170

### 14.2. UN proper shipping name

Transport name	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport name (IMDG,	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA)	

## 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Kemetyl	Safety data sheet According to Regulation (EU) No 2020/878
Class Classification code Packaging group Danger label Tunnel restriction code	: 3 : F1 : III : 3 : D/E
Other information	<ul> <li>3</li> <li>3</li> <li>: Not intended for carriage by tank-vessels on inland waterways.</li> </ul>
IMDG (sea) Class Packaging group EmS (fire / spill) Marine pollutant	: 3 : III
IATA (air) Class ERG code	: 3 : 3L

## 14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

### 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

#### **SECTION 15 REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

### 15.2. Chemical safety assessment

Chemical safety	:	Not applicable.
assessment		

#### **SECTION 16 OTHER INFORMATION**

## 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Product name Date of issue

: 2022-01-25

: Shell Winter Screenwash ready to use Replaces issue dated

: 2018-09-18

Page 9/10 SDS 'autogenerated' by Aminchi



According to Regulation (EU) No 2020/878

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Liq. 3	: On basis of test data.
Full text of hazard class	es mentioned in section 3:

Full text of hazard class	es mentioned in section 3:
Flam. Liq. 2	: Flammable liquid, category 2.
Acute Tox. 4	: Acute toxicity, category 4.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.
Full text of H-phrases m	nentioned in section 3:

H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H373 May cause damage to organs through prolonged or repeated exposure.
EUH066 Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.



According to Regulation (EU) No 2020/878

Print date

: 2022-02-04

Page 11/10 SDS 'autogenerated' by Aminchi