

According to Regulation (EU) No 2015/830

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	: SHELL WINTER SCREENWASH CONCENTRATE
Product code	: CRX711P. BS113. BS111

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU22 Professional use. For industrial or institutional use. PC35 Cleaning agent. PC0 Other. Car maintenance. Windscreen wash.

1.3. Details of the supplier of the safety data sheet

Supplier	:	Kemetyl Polska Sp. z o. o.
		Al. Jerozolimskie 146
		02-305 Warszawa, Poland
Telephone	:	+48 22 822 5390
E-mail	:	msds@kemetyl.com
Website	:	www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only: PL - Telephone : +48 22 822 5390

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	: Flammable liquid, category 3. Eye irritation, category 2.
Human health hazards	: Causes serious eve irritation.

Physical/chemical hazards	<u>.</u> .	Flammable
T Trysical/chemical hazarus	.	

: Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Environmental hazards

Label elements (1272/2008/EC): Hazard pictograms :



Signal word	: Warning	
H- and P-phrases	: H226 H319 P210	Flammable liquid and vapour. Causes serious eye irritation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P370+P378 alc P280 eyes P337+P313 P501	In case of fire: Use carbondioxide (CO2), alcohol resistant foam, dry chemical or water fog to extinguish. Wear eye protection/face protection. If eye irritation persists: Get medical advice/attention. Dispose of contents/container to an official chemical waste depot.



According to Regulation (EU) No 2015/830

2.3. Other hazards

Other information

: Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Ethanediol	5 - < 10	107-21-1	203-473-3		01-2119456816-28
Butanone	0,1 - < 1	78-93-3	201-159-0		01-2119457290-43
Propan-2-ol	0,1 - < 1	67-63-0	200-661-7		
N,N-dimethyldecylamine N-oxide	0,1 - < 1	2605-79-0	220-020-5		
Ethanol	50 - 75	64-17-5	200-578-6		01-2119457610-43

Substance name	Hazard Class	H-phrases	Pictograms	
Ethanediol	Acute Tox. 4; STOT RE	H302; H373	GHS07; GHS08	
	2			
Butanone	Eye Irrit. 2; Flam. Liq.	H225; H319; H336;	GHS02; GHS07	
	2; STOT SE 3	EUH066		
Propan-2-ol	Eye Irrit. 2; Flam. Liq.	H225; H319; H336	GHS02; GHS07	
	2; STOT SE 3			
N,N-dimethyldecylamine N-oxide	Acute Tox. 4; Aquatic	H315; H318; H400;	GHS05; GHS07;	M (acute) = 1
	Acute 1; Aquatic	H411	GHS09	
	Chronic 2; Eye Dam. 1			
Ethanol	Eye Irrit. 2; Flam. Liq. 2	H225; H319	GHS02; GHS07	H319 : C >= 50 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures Inhalation Skin contact	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Eye contact	 Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
Ingestion	: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a
	knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness.
Skin contact	: May cause dry skin.
Eye contact	: Irritant. May cause redness and pain.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Product name
Date of issue



According to Regulation (EU) No 2015/830

Kemetyl

Note to physicians : General

Risk of metabolic acidosis.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media		
Suitable	:	Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	:	Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

5.3. Advice for firefighters

Special protective	:	Use adequate respiratory equipment in case of insufficient ventilation.
equipment for fire-fighters		

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition - No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions	:	Avoid release of product into sewers, surface water and/or ground water. In case of large spills:
		contain with dike.
Other information	:	Notify authorities if any exposure to the general public or the environment occurs or is likely to
		OCCUL.

6.3. Methods and material for containment and cleaning up

: Collect spilled material in containers. Absorb residues in sand or other inert material. Do not use Methods for cleaning up saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.



According to Regulation (EU) No 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Protect from sunlight.
Recommended packaging Non recommended packaging	: Keep only in the original container. : Steel (except stainless steel).

7.3. Specific end use(s)

Use

: Use only as directed. Do not mix with other products. Do not breathe spray.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure	: Occupational exposure limits have not been established for this product. Derived no-effect levels
limits	(DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have
	not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Ethanediol	EC	52	104	Skin	
Ethanediol	GB	52	104	Skin	
Butanone	EC	600	900	-	
Butanone	GB	600	899	Skin; BMGV	
Propan-2-ol	GB	999	1250	-	
Ethanol		260	1900	-	MAC: NL
Ethanol	GB	1920	-	-	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Ethanediol	Dermal				106 mg/kg bw/day
	Inhalation			35 mg/m3	
Butanone	Dermal			-	1161 mg/kg bw/day
	Inhalation				600 mg/m3
Propan-2-ol	Dermal				888 mg/kg bw/day
	Inhalation				500 mg/m3
N,N-dimethyldecylamine N-oxide	Inhalation				6,2 mg/m3
	Dermal				11 mg/kg bw/day
Ethanol	Inhalation	1900 mg/m3			950 mg/m3
	Dermal	Ī			343 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-t	DNEL, short-term D		DNEL, long-term	
	exposure					
	·	Local effect	Systemic effect	Local effect	Systemic effect	
Ethanediol	Dermal				53 mg/kg bw/day	
	Inhalation			7 mg/m3		
Butanone	Dermal			-	412 mg/kg bw/day	
	Inhalation				106 mg/m3	
	Oral				31 mg/kg bw/day	
Propan-2-ol	Dermal				319 mg/kg bw/day	



According to Regulation (EU) No 2015/830

Kemetyl

	Inhalation Oral				89 mg/m3 26 mg/kg bw/day
N,N-dimethyldecylamine N-oxide	Inhalation				1,53 mg/m3
	Dermal				5,5 mg/kg bw/day
_	Oral				0,44 mg/kg bw/day
Ethanol	Inhalation	950 mg/m	3		114 mg/m3
	Dermal				206 mg/kg bw/day
	Oral				87 mg/kg bw/day
Predicted no-effect concentration (P					
Chemical name	Route of exposi		esh water	Marine water	
Ethanediol	Water) mg/l	1 mg/l	
	Sediment),9 mg/kg		
	Intermittent wat	er			10 mg/l
	STP				199,5 mg/l
	Soil				1,53 mg/kg
Butanone	Water		5,8 mg/l	55,8 mg/l	
	Sediment	28	84,74 mg/kg	284,7 mg/kg	
	Intermittent wat	er			55,8 mg/l
	STP				709 mg/l
	Soil				22,5 mg/kg
	Oral				1000 mg/kg food
Propan-2-ol	Water		l0,9 mg/l	140,9 mg/l	
	Sediment		52 mg/kg	552 mg/kg	
	Intermittent wat	er			140,9 mg/l
	STP				2251 mg/l
	Soil				28 mg/kg
	Oral				160 mg/kg food
N,N-dimethyldecylamine N-oxide	Water	0,	0335 mg/l	0,00335 mg/l	
	Sediment	5,	24 mg/kg	0,524 mg/kg	
	Intermittent wat	er			0,0335 mg/l
	STP				4,59 mg/l
	Soil				1,02 mg/kg
	Oral				11,1 mg/kg food
Ethanol	Water	0.	96 mg/l	0,79 mg/l	
	Sediment		6 mg/kg	2,9 mg/kg	
	Intermittent wat				2,75 mg/l
	STP				580 mg/l
	Soil				0,63 mg/kg
	Oral				0,72 mg/kg food

8.2. Exposure controls

Engineering measures	: Use only in well-ventilated areas. Comply with standard precautionary measures for working with
	chemicals.
Hygienic measures	: When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale
	exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.



According to Regulation (EU) No 2015/830

Eye protection

: Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

	: Liquid.	
	: Blue.	
0 0 0 0 0	: Perfumed.	
	: Not known.	
рН	: 7,5	
Solubility in water	: Soluble.	
Partition coefficient (n-oc-	: Not applicable.	Contains surfactants. The O/W system emulsifies.
tanol/water)		
Flash point	: 23 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
	: > 240 °C	
Boiling point/boiling range	: 78 °C	
Melting point/melting range		
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 3,2 (Ethanediol)
	:	Upper explosion limit in air (%): 19 Ethanol
Decomposition temperature	: Not known.	
Viscosity (20°C)	: 1 mm2/sec	(1 mm2/sec = 1cSt)
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: > 2300 Pa	
	: >1	(air = 1)
• • • •	: 0,914 g/ml	、 <i>,</i>
	: Not known.	(n-butyl acetate = 1)
		()

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity		
Reactivity	: See sub-sections below.	
10.2. Chemical stability		
Stability	: Stable under normal conditions.	
10.3. Possibility of hazard	lous reactions	
Reactivity	: No other hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	: See section 7.	
10.5. Incompatible materi	als	
Materials to avoid	: Keep away from oxidizing agents.	
10.6. Hazardous decompo	osition products	
Hazardous decomposition products	: Not known.	



According to Regulation (EU) No 2015/830

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product. Inhalation

Innalation	
Acute toxicity	 Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Irritant.
Ingestion	
Acute toxicity	 Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause hampered eyesight.
Aspiration	Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Ethanol	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Genotoxicity - in vivo	Not genotoxic	OECD 478	Mouse
	NOEL (carcinogenicity,	> 4400 mg/kg bw/d		Mouse
	oral)			
	Eye irritation	Irritant	OECD 405	Rabbit
	LC50 (inhalation)	> 99999 mg/m3	OECD 403	Rat
	LD50 (oral)	10470 mg/kg bw	OECD 401	Rat
	NOAEL (development,	6400 mg/kg bw/d		
	oral)			
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	NOAEL (fertility, oral)	20000 mg/kg bw/d	OECD 415	Rat



According to Regulation (EU) No 2015/830

NOAEL (oral)	2400 mg/kg bw/d	Rat
NOAEL (inhalation)	23000 mg/m3	Rat
LD50 (dermal)	15800 mg/kg bw	 Rabbit
Skin irritation	Non-irritant	 Rabbit

Other information

: Ethanediol There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 millilitres (1/2 cup).

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity

: Calculated LC50 (fish): 607 mg/l. Calculated EC50 (waterflea): 195 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence - degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information	:	Not applicable.
VOC-content (EC)	:	573 g/l

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers should be recycled or re-used. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses. Avoid discharge of waste water arising from tank cleaning to the environment.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

: ----



According to Regulation (EU) No 2015/830

14.1. UN number

UN nr. : UN 1170

14.2. UN proper shipping name

Transport name	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport name (IMDG,	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA)	

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class	:	3
Classification code	:	F1
Packaging group	:	
Danger label	:	3
Tunnel restriction	:	D/E
code		



Other information

: Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)	
Class	: 3
Packaging group	: 111
EmS (fire / spill)	: F-E/S-D
Marine pollutant	: No
IATA (air)	

: 3

Class

14.6. Special precautions for user

Other information

: Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not intended to be carried in bulk according to International Maritime Organisation (IMO) Marpol instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other Community regulations regulations.

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Anionic surfactants	< 5
Perfumes, Methylchloroisothiazolinone, Methylisothiazolinone.	

Product name
Date of issue

: ----



According to Regulation (EU) No 2015/830

15.2. Chemical safety assessment

Chemical safety	:	Not applicable.
assessment		

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations a	nd acronyms that could be (but not necessarily are) used in this safety data sheet:
ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative
Procedure used to der	ive the classification according to Regulation (EC) No. 1272/2008:
Flam. Liq. 3	: Expert judgement.
Eye Irrit. 2	: Calculation method.
5	
	ses mentioned in section 3:
Flam. Liq. 2	: Flammable liquid, category 2.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.

Replaces issue dated



Safety data sheet According to Regulation (EU) No 2015/830

Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.
Full text of H-phrases mentioned in section 3:	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
Number format	: "," used as decimal separator.
Print date	: 2020-10-29