



Safety data sheet

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL AIR FRESHENER NEW CAR
Product code : CRX722, AL61C; AL64P; 9728123

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products for vehicles. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.
Al. Jerozolimskie 146
02-305 Warszawa, Poland
Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.pl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:
PL - Telephone : +48 22 822 5390 (During office hours only)
EMERGENCY TELEPHONE NUMBER (for DOCTORS only):
Poisons Information Center +354 543 22 22 (24/7)

SECTION 2 HAZARDS IDENTIFICATION


2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 2.
Human health hazards : Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.
Environmental hazards : Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 gloves Wear protective gloves.
P273 Avoid release to the environment.



Kemetyl


Safety data sheet

According to Regulation (EU) No 2020/878

P391 Collect spillage.
P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 gloves Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water/soap.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Benzyl salicylate ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; Linalool ; 3-p-Cumenyl-2-methylpropionaldehyde ; d-Limonene ; Methyl salicylate .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Benzyl salicylate	10 - < 20	118-58-1	204-262-9		01-2119969442-31
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	5 - < 10	54464-57-2	259-174-3		01-2119489989-04
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	5 - < 10	1222-05-5	214-946-9		01-2119488227-29
2,2,4,6,6-Pentamethylheptane	5 - < 10	13475-82-6	236-757-0		01-2119490725-29
Decan-1-ol	1 - < 5	112-30-1	203-956-9		01-2119480407-35
7-Methyl-3,4-dihydro-2H-1,5-benzodioxepine-3-one (Calone)	1 - < 3	28940-11-6	249-320-4		01-2120734453-58
Linalool	1 - < 5	78-70-6	201-134-4		01-2119474016-42
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	0,1 - < 1	34902-57-3	422-320-3		01-0000016883-62
3-p-Cumenyl-2-methylpropionaldehyde	0,1 - < 1	103-95-7	203-161-7		01-2119970582-32
d-Limonene	0,1 - < 1	5989-27-5	227-813-5		01-2119529223-47
Allyl (cyclohexyloxy)acetate	0,1 - < 1	68901-15-5	272-657-3		
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	0,1 - < 1	1506-02-1	216-133-4		01-2119539433-40
Methyl salicylate	0,1 - < 1	119-36-8	204-317-7		01-2119515671-44

Substance name	Hazard Class	H-phrases	Pictograms
----------------	--------------	-----------	------------



Safety data sheet

According to Regulation (EU) No 2020/878

Kemetyl

Benzyl salicylate	Eye Irrit. 2; Aquatic Chronic 3; Skin Sens. 1B	H319; H412; H317	GHS07	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 1	H315; H317; H410	GHS07; GHS09	M (chronic) = 1
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (chronic) = 1
2,2,4,6,6-Pentamethylheptane	Flam. Liq. 3; Asp. Tox. 1; Aquatic Chronic 4	H226; H304; H413	GHS02; GHS08	
Decan-1-ol	Eye Irrit. 2; Aquatic Chronic 3	H319; H412	GHS07	
7-Methyl-3,4-dihydro-2H-1,5-benzodioxepine-3-one (Calone)	Skin Corr. 1B; Eye Dam. 1; STOT SE 3	H314; H318; H336; EUH071	GHS05; GHS07	
Linalool	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1
3-p-Cumenyl-2-methylpropionaldehyde	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3	H315; H317; H412	GHS07	
d-Limonene	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 3	H226; H304; H315; H317; H400; H412	GHS02; GHS07; GHS08; GHS09	M (acute) = 1
Allyl (cyclohexyloxy)acetate	Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1	H302; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1	H302; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
Methyl salicylate	Acute Tox. 4; Eye Dam. 1; Skin Sens. 1B; Repr. 2; Aquatic Chronic 3	H302; H318; H317; H361d; H412	GHS05; GHS07; GHS08	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbon dioxide (CO₂). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Decan-1-ol		10	-		MAC: LT
d-Limonene		28	80		MAC: DE, CH

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Benzyl salicylate	Inhalation				7,8 mg/m ³
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Dermal				2,21 mg/kg bw/day
	Inhalation				30 mg/m ³
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Dermal			0,648 mg/kg bw/day	28,7 mg/kg bw/day
	Dermal				28,85 mg/kg bw/day
Decan-1-ol	Inhalation			129 mg/m ³	5,29 mg/m ³
	Inhalation				176 mg/m ³
	Dermal			0,190 mg/kg bw/day	250 mg/kg bw/day
Linalool	Inhalation				24,58 mg/m ³
	Dermal	3 mg/kg bw		3 mg/kg bw/day	3,5 mg/kg bw/day
3-p-Cumenyl-2-methylpropionaldehyde	Inhalation				5,83 mg/m ³
	Dermal			0,00743 mg/kg bw/day	1,67 mg/kg bw/day
d-Limonene	Inhalation				66,7 mg/m ³
	Dermal				9,5 mg/kg bw/day
Allyl (cyclohexyloxy)acetate	Inhalation				3,16 mg/m ³
	Dermal				0,448 mg/kg bw/day
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	Inhalation		0,525 mg/m ³		0,175 mg/m ³
	Dermal		1,8 mg/kg bw		0,61 mg/kg bw/day



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Methyl salicylate	Inhalation Dermal		285 mg/m ³		17,5 mg/m ³ 6 mg/kg bw/day
-------------------	----------------------	--	-----------------------	--	--

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Benzyl salicylate	Inhalation Dermal Oral				1,37 mg/m ³ 0,79 mg/kg bw/day 0,79 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Inhalation Dermal				9 mg/m ³ 0.380 mg/kg bw/day
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral Dermal				3 mg/kg bw/day 14,43 mg/kg bw/day
Decan-1-ol	Inhalation Dermal				1,3 mg/m ³ 0,75 mg/kg bw/day 43,5 mg/m ³
Linalool	Oral Dermal	1.5 mg/kg bw		0,067 mg/kg bw/day 1.5 mg/kg bw/day	12,5 mg/kg bw/day 1.25 mg/kg bw/day
3-p-Cumenyl-2-methylpropionaldehyde	Inhalation Dermal				4.33 mg/m ³ 2.49 mg/kg bw/day 1,45 mg/m ³
d-Limonene	Oral Inhalation Dermal			0,00372 mg/kg bw/day	0,83 mg/kg bw/day 16,6 mg/m ³ 4,8 mg/kg bw/day
Allyl (cyclohexyloxy)acetate	Oral Inhalation Dermal				4,8 mg/kg bw/day 0,557 mg/m ³ 0,16 mg/kg bw/day
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	Oral Inhalation Dermal		0,131 mg/m ³		0,16 mg/kg bw/day 0,0435 mg/m ³
Methyl salicylate	Oral Inhalation Dermal Oral		0,915 mg/kg bw 1,2 mg/kg bw 213 mg/m ³ 5 mg/kg bw		0,305 mg/kg bw/day 0,0125 mg/kg bw/day 4 mg/m ³ 3 mg/kg bw/day 1 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Benzyl salicylate	Water Sediment Intermittent water STP Soil Oral	0.001 mg/l 0.583 mg/kg	0 mg/l 0.058 mg/kg	0,01030 mg/l 10 mg/l 1.41 mg/kg 52.7 mg/kg food
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Water	0.0044 mg/l	0.00044 mg/l	



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Sediment	3.73 mg/kg	0.75 mg/kg	
	STP			10 mg/l
	Soil			2.7 mg/kg
Decan-1-ol	Oral			26.7 mg/kg food
	Water	0,0044 mg/l	0,0004 mg/l	
	Sediment	2 mg/kg	0,394 mg/kg	
Linalool	Intermittent water			0,047 mg/l
	STP			1 mg/l
	Soil			0,31 mg/kg
3-p-Cumenyl-2-methylpropionaldehyde	Oral			3,3 mg/kg food
	Water	0,042 mg/l	0,004 mg/l	
	Sediment	7 mg/kg	0,7 mg/kg	
d-Limonene	STP			1,5 mg/l
	Soil			1,27 mg/kg
	Water	0,2 mg/l	0,02 mg/l	
Allyl (cyclohexyloxy)acetate	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
	Water	0,00109 mg/l	0,00011 mg/l	
Methyl salicylate	Sediment	0,126 mg/kg	0,013 mg/kg	
	Intermittent water			0,01092 mg/l
	STP			1 mg/l
Engineering measures	Soil			0.025 mg/kg
	Oral			33.3 mg/kg food
	Water	0.014 mg/l	0.0014 mg/l	
Hygienic measures	Sediment	3.85 mg/kg	0.385 mg/kg	
	STP			1.8 mg/l
	Soil			0.763 mg/kg
Engineering measures	Oral			133 mg/kg food
	Water	0,00205 mg/l	0,000205 mg/l	
	Sediment	0,0387 mg/kg	0,00387 mg/kg	
Hygienic measures	STP			0,3 mg/l
	Soil			0,375 mg/kg
	Water	0,0022 mg/l	0,00022 mg/l	
Engineering measures	Sediment	1,72 mg/kg	0,345 mg/kg	
	Intermittent water			0,00072 mg/l
	STP			2,2 mg/l
Hygienic measures	Soil			0,31 mg/kg
	Oral			1,1 mg/kg food
	Water	0.02 mg/l	0.002 mg/l	
Engineering measures	Sediment	0.52 mg/kg	0.052 mg/kg	
	Intermittent water			0,2 mg/l
	STP			140 mg/l
Hygienic measures	Soil			0.35 mg/kg

8.2. Exposure controls

- Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.
- Hygienic measures : When using do not eat, drink or smoke.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: laminated film. Indication of permeation breakthrough time: not known.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. $\pm 0,5$ mm. Indication of permeation breakthrough time: not known.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

*

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: > 60 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 200 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,9 (Linalool) Upper explosion limit in air (%): 5,2 (Linalool)
	:	Does not contain oxidizing substances.
Oxidising properties	: Not applicable.	
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: > 1	(air = 1)
Relative density (20°C)	: 1 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

Product name : Shell Air Freshener New Car

Date of issue : 2022-06-29

Replaces issue dated

: 2022-02-16

Page 8/16

INFO CARE SDS



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION *

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 24 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not classified - Based on available data, the classification criteria are not met.
Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal	
Benzyl salicylate	NOAEL (fertility, oral)	158 mg/kg bw/d	OECD 421	Rat	
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse	
	NOAEL (oral)	177 mg/kg bw/d	OECD 408	Rat	
	Skin irritation	Non-irritant	OECD 404	Rabbit	
	NOAEL (development, oral)	158 mg/kg bw/d	OECD 421	Rat	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster	
	Eye irritation	Moderately irritant	-----	Rabbit	
	LD50 (oral) - estimate	> 2000 mg/kg bw	Read across		
	LD50 (dermal) - estimate	> 2000 mg/kg bw	Read across		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin irritation	Non-irritant	-----	Rabbit	
	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse	
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat	
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rat	
	Mutagenicity	Not mutagenic	OECD 471	-----	
	NOAEL (development, oral)	480 mg/kg bw/d	OECD 414	Rat	
	LC50 (inhalation) - estimate	> 22360 mg/m3	Read across		
	Decan-1-ol	LD50 (oral)	> 5000 mg/kg bw		Rat
		LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rabbit
		LC50 (inhalation)	> 17800 mg/m3		Rat
Eye irritation		Irritant			
Skin irritation		Irritant			
Mutagenicity		Negative	OECD 471		
Skin sensitisation		Not sensitizing	OECD 406	Guinea pig	
NOAEL (oral) - estimate		1127 mg/kg bw/d	Read across	Rat	
Genotoxicity - in vivo		> 2000 mg/kg bw/d	-----	Mouse	
NOAEL (development, oral)		1300 mg/kg bw/d	OECD 414	Rat	
7-Methyl-3,4-dihydro-2H-1,5-benzodioxepine-3-one (Calone)	NOAEL (fertility) - estimate	1127 mg/kg.d	Read across	Rat	
	NOAEL (developmental toxicity, inh.)	> 100 mg/m3		Rat	
	NOAEL (dermal) - estimate	> 1000 mg/kg bw/d	Read across	Rat	
	LD50 (oral)	> 2000 mg/kg bw	OECD 420	Rat	
	Linalool	NOAEL (development, oral)	365 mg/kg bw/d	-----	Rat
		Eye irritation	Non-irritant	OECD 405	Rabbit
		Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
		Mutagenicity	Negative	OECD 471	Salmonella typhimurium
		NOAEL (fertility, oral)	500 mg/kg bw/d		Rat



Safety data sheet

According to Regulation (EU) No 2020/878

Kemetyl

3-p-Cumenyl-2-methylpropionaldehyde	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	LD50 (dermal)	5610 mg/kg bw	-----	Rabbit
	Skin irritation	Mildly irritant	-----	Human
	LD50 (oral)	2790 mg/kg bw	-----	Rat
	NOAEL (oral)	117 mg/kg bw/d	-----	Rat
	Skin sensitisation	5575 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	300 mg/kg bw/d		Rabbit
	Skin irritation	Slightly irritant		Rabbit
d-Limonene	LD50 (oral)	3810 mg/kg bw	-----	Rat
	NOAEL (fertility, oral)	25 mg/kg bw/d	OECD 415	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vivo	> 2000 mg/kg bw/d	Read across	Mouse
	Eye irritation	Non-irritant		Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rat
	Genotoxicity - in vivo	> 2000 mg/kg bw/d		Rat
	NOEL (carcinogenicity, oral)	> 300 mg/kg bw/d	OECD 451	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Mutagenicity	Negative	OECD 471	
Methyl salicylate	Skin sensitisation	5500 ug/cm2	OECD 429	Mouse
	NOAEL (development, oral)	600 mg/kg bw/d		Rat
	Skin irritation	Irritant	-----	-----
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
	LD50 (oral)	> 2000 mg/kg bw	OECD 423	Rat
	Genotoxicity - in vitro	Not genotoxic		
	NOAEL (oral)	150 mg/kg bw/d		Rat
	NOAEL (oral)	50 mg/kg bw/d	-----	Rat
	NOEL (carcinogenicity, oral)	Not carcinogenic	-----	Rat
	NOAEL (fertility, oral)	250 mg/kg bw/d	OECD 416	Rat
	NOAEL (development, oral)	75 mg/kg bw/d	OECD 416	Rat
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	NOAEL (inhalation)	> 700 mg/m3	OECD 412	Rat
	LD50 (oral)	890 mg/kg bw	-----	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit

11.2. Information on other hazards

Endocrine disrupting properties : Not applicable.
Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

*

12.1. Toxicity

No ecotoxicological research has been carried out on this product.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 3 mg/l. Calculated EC50 (waterflea): 2 mg/l.
Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	EC50 (waterflea)	1,38 mg/l	OECD 202	-----
	IC50 (algae)	> 2,6 mg/l	OECD 201	-----
	LC50 (fish)	1,3 mg/l	OECD 203	-----
	Log P(ow)	5,23		
	BCF	600		
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Ultimate aerobic biodegradation (%)	2 %	OECD 301 B	
	IC50 (algae)	> 0,85 mg/l	OECD 201	Pseudokirchnerella subcapitata
	NOEC (waterflea) - chronic	0,111 mg/l.d	OECD 202	Daphnia magna
	LC50 (fish)	1,36 mg/l	OECD 204	Lepomis macrochirus
	NOEC (fish)	0,068 mg/l.d	OECD 210	Pimephales promelas
	EC50 (waterflea)	0,47 mg/l	-----	-----
	Log P(ow)	5,9		
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	BCF	1584		
	NOEC (fish)	0,52 mg/l	OECD 203	Oncorhynchus mykiss
	LC50 (fish)	2,0 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	0,48 mg/l	OECD 202	Daphnia magna
Allyl (cyclohexyloxy)acetate	Log P(ow)	5,02		
	EC50 (waterflea)	11,3 mg/l	OECD 202	Daphnia magna
	NOEC (waterflea) - chronic	3,2 mg/l.d	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	24 %	OECD 301 D	



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	LC50 (alga)	69,2 mg/l	OECD 201	Pseudokirchnerella subcapitata
	LC50 (fish)	0,205 mg/l	OECD 203	Brachydanio rerio
	Log P(ow)	2,64		
	LC50 (fish) - estimate	> 0,314 mg/l	OECD 204	Lepomis macrochirus
	EC50 (waterflea) - estimate	> 0,244 mg/l	-----	Daphnia magna
	NOEC (fish)	0,089 mg/l.d	OECD 204	Lepomis macrochirus
	NOEC (waterflea) - chronic	0,196 mg/l.d	OECD 202	Daphnia magna
	IC50 (alga)	0,276 mg/l	OECD 201	
	Ultimate aerobic biodegradation (%)	21 %		
	Log P(ow)	5,7000		
	BCF	600		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 3082


14.2. UN proper shipping name

- Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)
- Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-acetonaphthalenone ; 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

- Class : 9
- Classification code : M6
- Packaging group : III
- Danger label : 9 + the "environmentally hazardous substance" mark.
- Tunnel restriction code : (-)



Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

IMDG (sea)

Class : 9
 Packaging group : III
 EmS (fire / spill) : F - A / S - F
 Marine pollutant : Yes
 Other information : This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).

IATA (air)

Class : 9
 ERG code : 9L
 Packaging group : III

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2	: Calculation method.
Eye Irrit. 2	: Calculation method.
Skin Sens. 1/1A/1B	: Calculation method.
Aquatic Chronic 2	: Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, category 3.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
Repr. 2	: Reproductive toxicity, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Chronic 4	: Hazardous to the aquatic environment — Chronic category 4.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH071	Corrosive to the respiratory tract.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2022-11-17