

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL CONTACT SPRAY
Product code : CRX727, AT649I

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Car maintenance.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.
Al. Jerozolimskie 146
02-305 Warszawa, Poland
Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

Poisons Information Center +354 543 22 22 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC) : Aerosols, category 1. Skin irritation, category 2. Eye irritation, category 2. Specific target organ toxicity after single exposure, category 3. Hazardous to the aquatic environment — Chronic category 2.

Human health hazards : Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Exposure to high vapour concentrations may result in a narcotic effect. Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

Physical/chemical hazards : Extremely flammable. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C.

Environmental hazards : Toxic to aquatic life with long lasting effects.

Other information : Caution: Do not breathe spray. Use only in well-ventilated areas. Spray in short intervals for a short period only. Ventilate well after use. Harmful to house pets.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

H- and P-phrases	:	H222	Extremely flammable aerosol.
		H229	Pressurised container: May burst if heated.
		H315	Causes skin irritation.
		H319	Causes serious eye irritation.
		H336	May cause drowsiness or dizziness.
		H411	Toxic to aquatic life with long lasting effects.
		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		P271	Use only outdoors or in a well-ventilated area.
		P273	Avoid release to the environment.
		P391	Collect spillage.
		P405	Store locked up.
		P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
		P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases	:	H222	Extremely flammable aerosol.
		H229	Pressurised container: May burst if heated.
		H336	May cause drowsiness or dizziness.
		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		P271	Use only outdoors or in a well-ventilated area.
		P405	Store locked up.
		P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
		P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ; Propan-2-ol .

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Aliphatic hydrocarbons	> 30

2.3. Other hazards

Other information : The classification of this product is based on the non-aerosolised form of the mixture (on basis of section 1.1.3.7. of Regulation (EC) No 1272/2008). Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	25 - < 50	-----	921-024-6		01-2119475514-35
Dimethoxymethane	10 - < 25	109-87-5	203-714-2		01-2119664781-31
Propan-2-ol	10 - < 25	67-63-0	200-661-7		
Ethanol	10 - < 25	64-17-5	200-578-6		01-2119457610-43
Carbon dioxide	2,5 - < 10	124-38-9	204-696-9	MAC	

Substance name	Hazard Class	H-phrases	Pictograms	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Aquatic Chronic 2; Asp. Tox. 1; Flam. Liq. 2; STOT SE 3; Skin Irrit. 2	H225; H304; H315; H336; H411	GHS02; GHS07; GHS08; GHS09	
Dimethoxymethane	Flam. Liq. 2	H225	GHS02	
Propan-2-ol	Eye Irrit. 2; Flam. Liq. 2; STOT SE 3	H225; H319; H336	GHS02; GHS07	
Ethanol	Eye Irrit. 2; Flam. Liq. 2	H225; H319	GHS02; GHS07	H319 : C >= 50 %
Carbon dioxide	-----	-----	-----	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Aerosol or mist: Ingestion is unlikely to occur.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, drowsiness, dizziness and a feeling of sickness. May cause irritation to respiratory airways and coughing.
- Skin contact : Irritant. May cause dry skin and redness.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : Aerosol or mist: Ingestion is unlikely to occur.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Suitable : Carbondioxide (CO₂). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C. Do not expose emergency personnel to overheated aerosol containers. Water may be used to cool container and prevent explosion of the aerosol.
Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Fight a fire where aerosols are involved from a protected position. Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Do not breathe vapours and/or spray. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Collect aerosol cans in an approved container. Do not pierce aerosols. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe spray. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool (< 35°), dry and well-ventilated place. Protect from sunlight and keep away from heat.
Recommended packaging : Not applicable.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		1200		CEFIC-HSPA	
Dimethoxymethane	GB	3160	3950		MAC: various EU Member States
Dimethoxymethane		3100			
Propan-2-ol	GB	999	1250		MAC: NL
Ethanol		260	1900		
Ethanol	GB	1920			
Carbon dioxide	GB	9150	27400		
Carbon dioxide	EC	9000			

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Inhalation				2035 mg/m ³
Dimethoxymethane	Dermal				773 mg/kg bw/day
	Dermal				17,9 mg/kg bw/day
Propan-2-ol	Inhalation				126,6 mg/m ³
	Dermal				888 mg/kg bw/day
Ethanol	Inhalation	1900 mg/m ³			500 mg/m ³
	Inhalation				950 mg/m ³
	Dermal				343 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Inhalation				608 mg/m ³
Dimethoxymethane	Dermal				699 mg/kg bw/day
	Oral				699 mg/kg bw/day
	Dermal				18,1 mg/kg bw/day
Propan-2-ol	Inhalation				31,5 mg/m ³
	Oral				18,1 mg/kg bw/day
	Dermal				319 mg/kg bw/day
Ethanol	Inhalation	950 mg/m ³			89 mg/m ³
	Oral				26 mg/kg bw/day
	Dermal				114 mg/m ³
					206 mg/kg bw/day



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

	Oral				87 mg/kg bw/day
--	------	--	--	--	-----------------

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Dimethoxymethane	Water	14,577 mg/l	1,477 mg/l	
	Sediment	13,135 mg/kg	1,3135 mg/kg	
	STP			10 mg/l
	Soil			4,6538 mg/kg
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
Ethanol	Soil			28 mg/kg
	Oral			160 mg/kg food
	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Use of specific protective industrial clothing is not required for momentary use. Wear suitable protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345 in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance : Aerosol.
 Colour : Colourless.
 Odour : Characteristic.
 Odour threshold : Not known.
 pH : Not applicable. Waterfree product.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Solubility in water	:	Active ingredients not soluble. Propellant(s) soluble.
Partition coefficient (n-octanol/water)	:	Not known. Not measured. Not relevant for mixtures.
Flash point	:	Not applicable. Not measurable.
Flammability (solid, gas)	:	Extremely flammable. Contains > 85% flammable components and has a heat of combustion > 30 kJ/g.
Auto ignition temperature	:	Not applicable. Aerosol container explodes before reaching the auto-ignition point.
Boiling point/boiling range	:	Not known. Not measurable.
Melting point/melting range	:	< -20 °C
Explosive properties	:	Pressurised container: May burst if heated.
Explosion limits (% in air)	:	0,8 - 19,9
Oxidising properties	:	Not applicable. Does not contain oxidizing substances.
Decomposition temperature	:	Not applicable. Aerosol explodes before reaching the decomposition temperature.
Viscosity (20°C)	:	Not known. Not measurable.
Viscosity (40°C)	:	Not known. Not measurable.
Vapour pressure (20°C)	:	440 hPa
Vapour density (20°C)	:	> 1 (air = 1)
Relative density (20°C)	:	0,76 g/ml
Evaporation rate	:	Not known. Not relevant. Mixture of gases, liquids and solids.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : Keep away from sources of ignition and sources of heat. See section 7.

10.5. Incompatible materials

Materials to avoid : Not applicable.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.
Inhalation



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Central nervous system. Effect(s): Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death.
- Corrosion/irritation : May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not classified - based on available data, the classification criteria are not met.
- Skin contact
- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Eye contact
- Corrosion/irritation : Irritant.
- Ingestion
- Acute toxicity : Aerosol or mist: Ingestion is unlikely to occur. Calculated LD50: 3099 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause hampered eyesight.
- Aspiration : Aerosol or mist: Ingestion is unlikely to occur. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Aerosol or mist: Ingestion is unlikely to occur. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
- Carcinogenicity : Aerosol or mist: Ingestion is unlikely to occur. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Aerosol or mist: Ingestion is unlikely to occur. Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Aerosol or mist: Ingestion is unlikely to occur. Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	LD50 (oral) - estimate	> 5840 mg/kg bw	Read across	Rat
	LD50 (dermal) - estimate	> 2800 mg/kg bw	Read across	Rat
	NOAEL (inhalation) - estimate	8117 mg/m3	Read across	Rat
	Mutagenicity - estimate	Negative	Read across	
	Genotoxicity - estimate	Not genotoxic	Read across	
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation - estimate	Non-irritant	Read across	
	Skin sensitisation - estimate	Not sensitizing	Read across	
	NOEL (carcinogenicity) - estimate	Not carcinogenic	Read across	----



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Propan-2-ol	LC50 (inhalation)	> 25200 mg/m3	----	Rat
	LD50 (oral)	4396 mg/kg bw	----	Rat
	LD50 (dermal)	12800 mg/kg bw	----	Rat
	LC50 (inhalation)	46600 mg/m3	----	Rat
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	407 mg/kg bw/d		Rat
	NOAEL (development, oral)	400 mg/kg bw/d		Rat
	NOEL (carcinogenicity, oral)	Not carcinogenic	OECD 416	Rat
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Mutagenicity	Negative	OECD 471	
	NOAEL (inhalation)	12500 mg/m3	OECD 451	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOEL (carcinogenicity, inh.)	12500 mg/m3		Mouse
Ethanol	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral)	870 mg/kg bw/d	----	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Genotoxicity - in vivo	Not genotoxic	OECD 478	Mouse
	NOEL (carcinogenicity, oral)	> 4400 mg/kg bw/d		Mouse
	Eye irritation	Irritant	OECD 405	Rabbit
	LC50 (inhalation)	> 99999 mg/m3	OECD 403	Rat
	LD50 (oral)	10470 mg/kg bw	OECD 401	Rat
	NOAEL (development, oral)	6400 mg/kg bw/d		
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	NOAEL (fertility, oral)	20000 mg/kg bw/d	OECD 415	Rat
	NOAEL (oral)	2400 mg/kg bw/d		Rat
	NOAEL (inhalation)	23000 mg/m3		Rat
LD50 (dermal)	15800 mg/kg bw	----	Rabbit	
Skin irritation	Non-irritant	----	Rabbit	

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 29 mg/l. Calculated EC50 (waterflea): 7 mg/l.
Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Not applicable.

12.5. Results of PBT and vPvB assessment



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	IC50 (algae)	> 10 mg/l	OECD 201	Pseudokirchnerella subcapitata
	LC50 (fish)	11,4 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	3 mg/l	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	98 %	Read across	
	NOEC (fish) - estimate	2,045 mg/l.d	-----	-----
	NOEC (daphnids) - estimate	1 mg/l.d	OECD 211	Daphnia magna

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Recyclable metal container. Do not puncture or burn even after use. Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 1950

14.2. UN proper shipping name

Transport name : AEROSOLS
Transport name (IMDG, IATA) : AEROSOLS

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 2
Classification code : 5F
Packaging group : -
Danger label : 2,1 + the "environmentally hazardous substance" mark.
Tunnel restriction code : D



Other information : Not intended for carriage by tank-vessels on inland waterways. Packagings with a quantity of 5 l or less for liquids or 5 kg, or less for solids need not be marked with the environmentally hazardous substance mark.

IMDG (sea)

Class : 2,1
 Packaging group : -
 EmS (fire / spill) : F - D / S - U
 Marine pollutant : Yes
 Other information : Packagings with a quantity of 5 l or less for liquids or 5 kg, or less for solids need not be marked with the environmentally hazardous substance mark.

IATA (air)

Class : 2,1

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP), 75/324/EEC (aerosols) and other regulations.
 : This product is exempted from classification as "May be fatal if swallowed and enters airways" on basis of section 3.10.1.6.3. of Annex I of Regulation (EC) No 1272/2008.
 : In the UK it is recommended that all aerosols should be labelled on the back with the warning about the dangers of volatile solvent abuse. The label should contain the badge 'Solvent Abuse Can Kill Instantly' accompanied by the phrase 'Use only as directed'.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Aer. 1	: Expert judgement.
Skin Irrit. 2	: Calculation method.
Eye Irrit. 2	: Calculation method.
STOT SE 3	: Calculation method.
Aquatic Chronic 2	: Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2	: Flammable liquid, category 2.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.

Full text of H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Number format : ", " used as decimal separator.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

End of safety data sheet.

Print date : 2021-06-18