

According to Regulation (EU) No 2015/830

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

 Product name
 : _ WINTER SCREENWASH READY TO USE -21C (CLUBSMART) / ORANGE WITH CINNAMON

 Product code
 : CRX791, AS81T; AS81P; AS82T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Car maintenance. Windscreen wash.

1.3. Details of the supplier of the safety data sheet

Supplier	:	Kemetyl Polska Sp. z o. o. Al. Jerozolimskie 146 02-305 Warszawa, Poland
Telephone E-mail	-	+48 22 822 5390 msds@kemetyl.com
Website		www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only: PL - Telephone : +48 22 822 5390

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Flammable liquid, category 3.
Human health hazards Physical/chemical hazards Environmental hazards	:	May produce an allergic reaction. Flammable. Not classified as dangerous according to statutory EC-Directives.


2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms :



Signal word	: Warning	
H- and P-phrases	: H226 EUH208	Flammable liquid and vapour. Contains May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.
	P102	Keep out of reach of children.
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:



Ingredient declaration according to Regulation EC 648/20	04·

Contains:	Concentration (%)
Perfumes, Limonene, cinnamal, DMDM hydantoin, Methylchloroisothiazolinone, Methy	/lisothiazolinone.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Ethanol	25 - < 50	64-17-5	200-578-6		01-2119457610-43
Ethanediol	0,1 - < 1	107-21-1	203-473-3		
Propan-2-ol	0,1 - < 1	67-63-0	200-661-7		
Butanone	0,1 - < 1	78-93-3	201-159-0		01-2119457290-43
Cinnamaldehyde	0,01 - < 0,1	104-55-2	203-213-9		
Isoeugenol	< 0,01	97-54-1	202-590-7		
Substance name	Hazard Class	H-p	ohrases	Pictograms	
Ethanol	Flam. Liq. 2; E	ye Irrit. 2 H2	25; H319	GHS02; GHS07	H319 : C >= 50 %
Ethanediol	Acute Tox. 4; S 2	TOT RE H3	02; H373	GHS07; GHS08	
Propan-2-ol	Flam. Liq. 2; Ey 2; STOT SE 3	ye Irrit. H2	25; H319; H336	GHS02; GHS07	
Butanone	Flam. Liq. 2; Ey 2; STOT SE 3		25; H319; H336; H066	GHS02; GHS07	
Cinnamaldehyde			12; H315; H317; 19	GHS07	
Isoeugenol	Acute Tox. 4; A Tox. 4; Skin Irri Sens. 1A; Eye Acute Tox. 4; S 3	t. 2; Skin H3 Irrit. 2; H3	02; H312; H315; 17; H319; H332; 35	GHS07	H317 : C >= 0,01 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.



According to Regulation (EU) No 2015/830

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation occurs.
Eye contact	: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
Ingestion	Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness.
Skin contact	: May produce an allergic reaction. May cause dry skin.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media		
Suitable	:	Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	:	Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

5.3. Advice for firefighters

Special protective	:	Use adequate respiratory equipment in case of insufficient ventilation.
equipment for fire-fighters		

SECTION 6 ACCIDENTAL RELEASE MEASURES

:

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition - No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.



According to Regulation (EU) No 2015/830

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Protect
	from sunlight.
Recommended packaging	: Keep only in the original container.
Non recommended	: Steel (except stainless steel).
packaging	

7.3. Specific end use(s)

Use

: Use only as directed. Do not mix with other products. Do not breathe spray.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Ethanol		260	1900	-	MAC: NL
Ethanol	GB	1920	-	-	
Ethanediol	EC	52	104	Skin	
Ethanediol	GB	52	104	Skin	
Propan-2-ol	GB	999	1250	-	
Butanone	EC	600	900	-	
Butanone	GB	600	899	Skin; BMGV	

Chemical name	Route of	DNEL, short-term	DNEL, long-term
	exposure		



According to Regulation (EU) No 2015/830

Kemetyl

		Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	1900 mg/m3		1	950 mg/m3
	Dermal				343 mg/kg bw/day
Ethanediol	Dermal				106 mg/kg bw/day
	Inhalation			35 mg/m3	
Propan-2-ol	Dermal			-	888 mg/kg bw/day
	Inhalation				500 mg/m3
Butanone	Dermal				1161 mg/kg bw/day
	Inhalation				600 mg/m3
Cinnamaldehyde	Inhalation				2,203 mg/m3
	Dermal		I		2,5125 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-t	erm	DNEL, long-te	rm	
	exposure				-	
		Local effect	Systemic effect	Local effect	Systemic effect	
Ethanol	Inhalation	950 mg/m3			114 mg/m3	
	Dermal				206 mg/kg bw/day	
	Oral				87 mg/kg bw/day	
Ethanediol	Dermal				53 mg/kg bw/day	
	Inhalation			7 mg/m3		
Propan-2-ol	Dermal			-	319 mg/kg bw/day	
-	Inhalation				89 mg/m3	
	Oral				26 mg/kg bw/day	
Butanone	Dermal				412 mg/kg bw/day	
	Inhalation				106 mg/m3	
	Oral				31 mg/kg bw/day	
Cinnamaldehyde	Inhalation				0,5435 mg/m3	
-	Dermal				0,625 mg/kg bw/day	
	Oral				2,5 mg/kg bw/day	

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food
Ethanediol	Water	10 mg/l	1 mg/l	
	Sediment	20,9 mg/kg		
	Intermittent water			10 mg/l
	STP			199,5 mg/l
	Soil			1,53 mg/kg
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
	Oral			160 mg/kg food
Butanone	Water	55,8 mg/l	55,8 mg/l	
	Sediment	284,74 mg/kg	284,7 mg/kg	
	Intermittent water			55,8 mg/l
	STP			709 mg/l
	Soil			22,5 mg/kg
	Oral			1000 mg/kg food



According to Regulation (EU) No 2015/830

Cinnamaldehyde	Water	1,004 mg/l	0,1004 mg/l	
	Sediment	159,1851 mg/kg	159,1851 mg/kg	
	Intermittent water			1,004 mg/l
	STP			13,119 mg/l
	Soil			56,0847 mg/kg
	Oral			0,00033 mg/kg food

8.2. Exposure controls

Engineering measures	: Use only in well-ventilated areas. Comply with standard precautionary measures for working with
	chemicals.
Hygiopia magayraa	· Mhan using do not out, drink or smake

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
Respiratory protection	 Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Orange.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
рН	: 6,7	
Solubility in water	: Soluble.	
Partition coefficient (n-oc-	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not
tanol/water)		relevant for mixtures.
Flash point	: 26 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 195 °C	
Boiling point/boiling range	: 84 °C	
Melting point/melting range	: < -20 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 3,4 (Ethanol)
	:	Upper explosion limit in air (%): 19 (Ethanol)
Oxidising properties	: Not oxidizing.	
Decomposition temperature	e: Not known.	
Viscosity (20°C)	: 1 mm2/sec	(1 mm2/sec = 1cSt)
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: > 2300 Pa	
Vapour density (20°C)	: >1	(air = 1)
Relative density (20°C)	: 0,956 g/ml	· ·
Evaporation rate	: <1	(n-butyl acetate = 1)
•		· · · ·



According to Regulation (EU) No 2015/830

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity		
Reactivity	:	Se
10.2. Chemical stability		

: See sub-sections below.

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

-	Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
	Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
	Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
	Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
	Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin	contact	
	Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
	Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
	Sensitisation	: May produce an allergic reaction.
	Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye	contact	
	Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.



According to Regulation (EU) No 2015/830

Ingestion	
Acute toxicity	 Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause hampered eyesight.
Aspiration	Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Cinnamaldehyde	Skin irritation	Severely irritant		
	NOAEL (development,	5 mg/kg bw/d		Rat
	oral)			
	LD50 (oral)	2220 mg/kg bw		Rat
	LD50 (dermal)	1260 mg/kg bw		Rabbit
	Mutagenicity	Not mutagenic		Salmonella typhimurium
	NOAEL (oral) -	250 mg/kg bw/d		
	estimate			
	Genotoxicity - in vitro	Genotoxic		
	Genotoxicity - in vivo	Not genotoxic		
	Eye irritation	Moderately irritant		Rabbit
	NOEL (carcinogenicity)	Not carcinogenic		
	- estimate			
	Skin sensitisation	262 ug/cm2	OECD 429	Mouse
Isoeugenol	Skin sensitisation	498 ug/cm2	OECD 429	Mouse
	Skin irritation	Moderately irritant		Human
	Skin irritation	Severely irritant		Rabbit
	NOEL (carcinogenicity,	Not carcinogenic		Rat
	oral)			
	Mutagenicity	Negative		Salmonella typhimurium
	LC50 (inhalation) -	1500 mg/m3		
	estimate			
	LD50 (dermal) -	1912 mg/kg bw		
	estimate			
	LD50 (oral)	1560 mg/kg bw		Rat

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

:

Ecotoxicity

: Calculated LC50 (fish): 861 mg/l. Calculated EC50 (waterflea): 542 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence - degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.



According to Regulation (EU) No 2015/830

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.6. Other adverse effects

Other information : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers should be recycled or re-used. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses. Avoid discharge of waste water arising from tank cleaning to the environment.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 1170

14.2. UN proper shipping name

Transport name	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport name (IMDG,	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA)	

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class	:	3
Classification code	:	F1
Packaging group	:	III
Danger label	:	3
Tunnel restriction	:	D/E
code		



Other information

: Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)



According to Regulation (EU) No 2015/830

Class	: 3
Packaging group	: 111
EmS (fire / spill)	: F-E/S-D
Marine pollutant	: No
IATA (air)	
Class	: 3

14.6. Special precautions for user

Other information

: Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol

: Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety	:	Not applicable.
assessment		

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level



According to Regulation (EU) No 2015/830

Kemetyl

OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Liq. 3 : Expert judgement.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2	: Flammable liquid, category 2.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.

Full text of H-phrases mentioned in section 3:

1 text of 11-priladed fi	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH066	Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2021-11-19