

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	:	SHELL MULTIFUNCTION SPRAY
Product code	:	CRX807, LAO93

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application

: SU21 Consumer product. PC24 Lubricants, greases, release agents.

1.3. Details of the supplier of the safety data sheet

Supplier	/	Kemetyl Polska Sp. z o. o. Al. Jerozolimskie 146 02-305 Warszawa, Poland
E-mail	: I	+48 22 822 5390 msds@kemetyl.com
Website	: \	www.kemetyl.pl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only: PL - Telephone : +48 22 822 5390

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	: Aerosols, category 1. Aspiration hazard, category 1.
Human health hazards	: May be fatal if swallowed and enters airways. Exposure to high vapour concentrations may result in a narcotic effect. Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
Physical/chemical hazards	: Extremely flammable. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C.
Environmental hazards Other information	 Not classified as dangerous according to statutory EC-Directives. Caution: Do not breathe spray. Use only in well-ventilated areas. Spray in short intervals for a short period only. Ventilate well after use. Harmful to house pets.

2.2. Label elements

Label elements (1272/2008 Hazard pictograms	B/EC): :	
Signal word	: Danger	
H- and P-phrases	: H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.



According to Regulation (EU) No 2020/878

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases: Hazard pictograms



:

Signal word	: Danger	
H- and P-phrases	: H222	Extremely flammable aerosol.
	H229	Pressurised container: May burst if heated.
	H304	May be fatal if swallowed and enters airways.
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Do not pierce or burn, even after use.
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P331	Do NOT induce vomiting.
	P405	Store locked up.
	P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
	P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; White mineral oil (petroleum) ; Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based .

2.3. Other hazards

Other information

: The classification of this product is based on the non-aerosolised form of the mixture (on basis of section 1.1.3.7. of Regulation (EC) No 1272/2008). Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description

: Mixture.

Information on hazardous substances	:				
Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Hydrocarbons, C10-C13, n-alkanes,	20 - < 55		918-481-9		01-2119457273-39
isoalkanes, cyclics, < 2% aromatics					
Butane	1 - < 40	106-97-8	203-448-7		



According to Regulation (EU) No 2020/878

Kemetyl

Propane	1 - < 40			200-827-9		
White mineral oil (petroleum)	1 - < 5	8042-47	7-5	232-455-8		01-2119487078-27
Lubricating oils (petroleum), C15-30,	1 - < 5	72623-8	36-0	276-737-9		
hydrotreated neutral oil-based						
Substance name	Hazard Class		H-phra	ses	Pictograms	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Asp. Tox. 1		H304; I	EUH066	GHS08	
Butane	Flam. Gas 1A; Gas	Press.	H220; I	H280	GHS02; GHS04	
Propane	Flam. Gas 1A; Press. Gas		H220; I	H280	GHS02; GHS04	
White mineral oil (petroleum)	Asp. Tox. 1		H304		GHS08	
Lubricating oils (petroleum), C15-30,	Asp. Tox. 1		H304		GHS08	
hydrotreated neutral oil-based						

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures Inhalation Skin contact	 Move victim into fresh air. Consult a doctor if victim feels unwell. Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.
Eye contact Ingestion	 Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists. Do not induce vomiting. Give nothing to drink. Do rinse the mouth. As necessary give 1 or 2 soupspoons of laxative (sodium sulphate). Never give anything by mouth to an unconscious person. Consult a doctor immediately if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness. May cause irritation to respiratory airways and coughing.
Skin contact	: No specific effects and/or symptoms are known.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Foam. Dry chemical. Water fog.
Not suitable	: Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture



According to Regulation (EU) No 2020/878

Special exposure hazards	: Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50
	°C. Do not expose emergency personnel to overheated aerosol containers. Water may be used to
	cool container and prevent explosion of the aerosol.
Hazardous thermal	: Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products	

5.3. Advice for firefighters

Special protective	:	Fight a fire where aerosols are involved from a protected position. Use adequate respiratory
equipment for fire-fighters		equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact
	with spilled or released material. Do not breathe vapours and/or spray. Keep away from sources
	of ignition — No smoking. Build up of highly flammable gasses involves an explosion risk. Vapours
	are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions	:	Avoid release of product into sewers, surface water and/or ground water.
Other information	:	Notify authorities if any exposure to the general public or the environment occurs or is likely to
		occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Collect aerosol cans in an approved container. Do not pierce aerosols. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

	•
Handling	: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe spray. Do not breathe vapour. Avoid contact with skin and eyes.
7.2. Conditions for safe sto	prage, including any incompatibilities
Storage	: Keep away from oxidizing agents. Keep frost-free, in a cool (< 35°), dry and well-ventilated place. Protect from sunlight and keep away from heat. Keep away from food, drink and animal feedingstuffs.
Recommended packaging	: Not applicable.
7.3. Specific end use(s)	
Use	: Use only as directed.



According to Regulation (EU) No 2020/878

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Hydrocarbons, C10-C13, n-alkanes,		1200	-	-	CEFIC-HSPA
isoalkanes, cyclics, < 2% aromatics					
Butane	GB	1450	1810	-	
		1450	1810		MAC: UK
Propane		1800	-		MAC: BG, PL, CH, SL,
					etc
White mineral oil (petroleum)		5	-	Inhalable	SCOEL (2011)
				fraction	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-te	rm	DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
White mineral oil (petroleum) Lubricating oils (petroleum), C15-30,	Inhalation Dermal Inhalation				164,56 mg/m3 217,05 mg/kg bw/day 2,73 mg/m3
hydrotreated neutral oil-based	Dermal				0,97 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-t	erm	DNEL, long-te	m
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
White mineral oil (petroleum)	Inhalation Dermal Oral				34,78 mg/m3 93,02 mg/kg bw/day 25 mg/kg bw/day
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	Oral				0,74 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Lubricating oils (petroleum), C15-30,	Oral			9.33 mg/kg food
hydrotreated neutral oil-based				

8.2. Exposure controls

Engineering measures

: Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures

: When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.



According to Regulation (EU) No 2020/878

Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Colour Odour	: Aerosol. : Colourless. : Characteristic.	
Odour threshold	: Not known.	
рН	: Not applicable.	Waterfree product.
Solubility in water	:	Active ingredients not soluble. Propellant(s) not soluble.
Partition coefficient (n-oc- tanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: Not applicable.	Not measurable.
Flammability (solid, gas)	: Extremely flammable.	Ignition distance and time equivalent needed to achieve ignition: Not measured.
Auto ignition temperature	: Not applicable.	Aerosol container explodes before reaching the auto-ignition point.
Boiling point/boiling range	: Not known.	Not measurable.
Melting point/melting range	:	
Explosive properties	:	Pressurised container: May burst if heated.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,6 (Hydrocarbons, C10-C13, n-alkanes , isoalkanes, cyclics, < 2% aromatics)
	:	Upper explosion limit in air (%): 10 (White mineral oil (petroleum))
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	e : Not known.	Aerosol explodes before reaching the decomposition temperature.
Viscosity (20°C)	: Not known.	Not measurable.
Viscosity (40°C)	: Not known.	Not measurable.
Vapour pressure (20°C)	: 7 Bar	
Relative vapour density	: >1	(air = 1)
Relative density (20°C)	: 0,78 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity	: See sub-sections below.
10.2. Chemical sta	bility
Stability	: Stable under normal conditions.
10.3. Possibility of	hazardous reactions
Reactivity	: No other hazardous reactions known.
10.4. Conditions to	avoid



According to Regulation (EU) No 2020/878

Kemetyl

Conditions to avoid : Keep away from sources of ignition and sources of heat. See section 7.

10.5. Incompatible materials

Materials to avoid : Not applicable.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation	
Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Unlikely to cause irritation. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Ingestion	
Acute toxicity	: Calculated LD50: > 2623 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing.
Corrosion/irritation	: May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.



Safety data sheet According to Regulation (EU) No 2020/878

Toxicological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C10-C13, n-alkanes,	Eye irritation - estimate	Non-irritant		
isoalkanes, cyclics, < 2% aromatics				
	LD50 (oral) - estimate	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal) -	> 5000 mg/kg bw	OECD 402	Rabbit
	estimate			
	Skin irritation	Slightly irritant		
	Mutagenicity	Not mutagenic		
		Not carcinogenic		
	- estimate			
	Respiratory irritation -	Non-irritant		
	estimate			
		Not teratogenic		
	- estimate			
	NOAEL (fertility) -	Not reprotoxic		
	estimate			
	LC50 (inhalation)	> 5610 mg/m3	OECD 403	Rat
	NOAEL (oral) -	> 5000 mg/kg bw/d	Read across	Rat
	estimate			
	NOAEL (inhalation) -	> 1160 mg/m3	Read across	Rat
	estimate		Deedersee	
	Skin sensitisation -	Not sensitizing	Read across	Guinea pig
M/bite mineral cil (netroloum)	estimate	E000 mg/m2		Det
White mineral oil (petroleum)	LC50 (inhalation)	> 5000 mg/m3 > 2000 mg/kg bw	OECD 403 OECD 402	Rat
	LD50 (dermal)			Rabbit
	Skin irritation	Non-irritant > 5000 mg/kg bw	OECD 404 OECD 401	Rabbit Rat
	LD50 (oral)		OECD 401 OECD 405	
	Eye irritation Skin sensitisation	Non-irritant	OECD 405 OECD 406	Rabbit
	NOEL (inhalation)	Not sensitizing 50 mg/m3	OECD 408 OECD 412	Guinea pig Rat
	Mutagenicity	Negative	OECD 412 OECD 471	Salmonella typhimurium
	NOAEL (development,	> 4200 mg/kg bw/d	OECD 414	Rat
	oral)	2 4200 mg/kg bw/u	0200414	Nat
	NOAEL (fertility,	> 2000 mg/kg bw/d	OECD 415	Rat
	dermal)	2000 mg/ng 5w/a		
	NOAEL (dermal)	> 2000 mg/kg bw/d	OECD 411	Rat
	NOEL (carcinogenicity,		OECD 453	Rat
	oral)		0101 .00	
		Not genotoxic	OECD 476	
	NOEL (carcinogenicity,	Not carcinogenic		Mouse
	dermal)			
	· ·	> 1800 mg/kg bw/d	OECD 408	Rat
Lubricating oils (petroleum), C15-30,		> 5000 mg/kg bw	OECD 401	Rat
hydrotreated neutral oil-based				
	LD50 (dermal) -	> 2000 mg/kg bw		Rat
	estimate			
	LC50 (inhalation) -	> 5000 mg/m3		Rat
	estimate			
	NOEL (carcinogenicity)	Not carcinogenic	Read across	
	- estimate			
	NOAEL (oral) -	125 mg/kg bw/d	Read across	
	estimate			
	NOAEL (inhalation) -	> 220 mg/m3	Read across	
	estimate			



According to Regulation (EU) No 2020/878

 hierer () h		
NOAEL (dermal) -	1000 mg/kg bw/d	Read across
estimate		
Mutagenicity - estimate	Negative	Read across
Genotoxicity - estimate	Not genotoxic	Read across
Eye irritation - estimate	Non-irritant	Read across
Skin irritation - estimate	Non-irritant	Read across
NOAEL (fertility) -	1000 mg/kg.d	Read across
estimate		
NOAEL (development)	30 mg/kg.d	Read across
- estimate		
Skin sensitisation -	Not sensitizing	Read across
estimate	-	

11.2. Information on other hazards

Endocrine disrupting	: Not applicable.
properties	
Other information	: Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

No ecotoxicological research has been carried out on this product.

: Calculated LC50 (fish): 1142 mg/l. Calculated EC50 (waterflea): 1593 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability : No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting : Not applicable. properties

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	: Recyclable metal container. Do not puncture or burn even after use. Do not dispose empty pack
	with waste produced by households. Containers may be recycled. Treat product residues and non-
	empty pack as hazardous waste.
Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.



According to Regulation (EU) No 2020/878

Waste water discharge	: Do not dispose of into the environment, drains, sewers or water courses.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a
	waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

only) ID 8000

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. :	ι	JN	1950	(For	IATA
----------	---	----	------	------	------

14.2. UN proper shipping name

Transport name	: AEROSOLS . For IATA only: CONSUMER COMMODITY
Transport name (IMDG,	: AEROSOLS . For IATA only: CONSUMER COMMODITY
IATA)	

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class	: 2
Classification code	: 5F
Packaging group	: -
Danger label	: 2,1
Tunnel restriction	: D
code	



Other information	: Not intended for carriage by tank-vessels on inland waterways.
IMDG (sea)	
Class	: 2,1
Packaging group	: -
EmS (fire / spill)	: F - D / S - U
Marine pollutant	: No
IATA (air)	
Class	: 2,1
ERG code	: 9L

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product. An IATA ID8000 Consumer Commodity package must bear an Air Limited Quantity marking and a Class 9 hazard label.

14.7. Maritime transport in bulk according to IMO instruments

- Marpol
- : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION



According to Regulation (EU) No 2020/878

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations	: Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP), 75/324/EEC
	(aerosols) and other regulations. Directive 2008/98/EC (waste).

: In the UK it is recommended that all aerosols should be labelled on the back with the warning about the dangers of volatile solvent abuse. The label should contain the badge 'Solvent Abuse Can Kill Instantly' accompanied by the phrase 'Use only as directed'.

15.2. Chemical safety assessment

Chemical safety : Not applicable. assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

ers are also forewarned for any hazards involved when the product is used for other purposes than those for which it is 114 de

esigned.	
hanged or new information with regard	to the previous release is indicated with an asterisk (*).
ADR:EuropeanATE:Acute ToxCLP:ClassificaCMR:CarcinogeEEC:EuropeanGHS:Globally HIATA:InternationIBC code:InternationIBC code:InternationIMDG:InternationLD50/LC50:Lethal DoMAC:MaximumMARPOL:InternationNO(A)EL:No ObserOECD:OrganisatPBT:PersistentPC:ChemicalPT:Product tyREACH:RegulationSTP:Sector ofTWA/STEL:Time-WeiUN:United NaUFI:Unique foVOC:Volatile O	on, Evaluation, Authorisation and Restriction of Chemicals ns concerning the International Carriage of Dangerous Goods by Rail reatment Plant Use ghted Average/Short Term Exposure Limit



According to Regulation (EU) No 2020/878

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Flam. Aer. 1	e classification according to Regulation (EC) No. 1272/2008: :Expert judgement. :Expert judgement.	
Full text of hazard classes m	entioned in section 3:	
Flam. Gas 1	: Flammable gas, category 1.	
Press. Gas	: Gases under pressure.	
Asp. Tox. 1	: Aspiration hazard, category 1.	
Full text of H-phrases mention	oned in section 3:	
H220	Extremely flammable gas.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Advice on any training appropriate for workers: none.		
Number format	: "," used as decimal separator.	

End of safety data sheet.

Print date : 2023-05-30