



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : BLACK ARROW DIESELSKYDD
Product code : KEM_28401, 09727620; AT41M; AT40E; AT42I; 09727610

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC13 Fuel additives and fuel components.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.
Al. Jerozolimskie 146
02-305 Warszawa, Poland
Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.pl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Aspiration hazard, category 1. Specific target organ toxicity after single exposure, category 3. (1272/2008/EC) Carcinogen, category 2. Hazardous to the aquatic environment — Chronic category 2.

Human health hazards : May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Suspected of causing cancer. Repeated exposure may cause skin dryness or cracking.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H304 May be fatal if swallowed and enters airways.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H411 Toxic to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases	:	H304	May be fatal if swallowed and enters airways.
		H336	May cause drowsiness or dizziness.
		H351	Suspected of causing cancer.
		EUH066	Repeated exposure may cause skin dryness or cracking.
		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		P271	Use only outdoors or in a well-ventilated area.
		P273	Avoid release to the environment.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
		P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
		P331	Do NOT induce vomiting.
		P391	Collect spillage.
		P405	Store locked up.
		P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; Hydrocarbons , C10, aromatics, >1% naphthalene ; Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) .

Other information : According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
----------------	-------------------------	---------	-----------	--------	-----------



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	25 - < 50	-----	918-481-9		01-2119457273-39
Hydrocarbons, C10, aromatics (naphthalene not included)	25 - < 50	-----	919-284-0		01-2119463588-24
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	5 - < 10	-----	925-653-7		01-2119458869-15
Naphthalene	2,5 - < 5	91-20-3	202-049-5		

Substance name	Hazard Class	H-phrases	Pictograms	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Asp. Tox. 1	H304; EUH066	GHS08	
Hydrocarbons, C10, aromatics (naphthalene not included)	Asp. Tox. 1; STOT SE 3; Aquatic Chronic 2	H304; H336; H411; EUH066	GHS07; GHS08; GHS09	
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	Asp. Tox. 1; Aquatic Chronic 3	H304; H412; EUH066	GHS08	
Naphthalene	Flam. Sol. 2; Acute Tox. 4; Carc. 2; Aquatic Acute 1; Aquatic Chronic 1	H228; H302; H351; H400; H410	GHS02; GHS07; GHS08; GHS09	M (acute) = 1

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. As necessary give 1 or 2 spoons of laxative (sodium sulphate). Never give anything by mouth to an unconscious person. Consult a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, drowsiness, dizziness and a feeling of sickness.
- Skin contact : Repeated exposure may cause skin dryness or cracking.
- Eye contact : May cause stinging of eyes and redness.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : Will float on water and can be reignited.
Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place. Keep away from oxidizing agents. Keep away from food, drink and animal feedingstuffs.
Recommended packaging : Keep only in the original container.
Non recommended packaging : PE and PP.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

*



Safety data sheet

According to Regulation (EU) No 2020/878

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		1200	-	-	CEFIC-HSPA
Hydrocarbons, C10, aromatics (naphthalene not included)		100	-	-	CEFIC-HSPA
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		1200	-	-	CEFIC-HSPA
Naphthalene	EC	50	-	-	

Biological limit values (BMGV):

Substance	Country	Determinant	BMG-value	Specimen/Sampling Time/Remarks
Naphthalene	GB	1-Hydroxypyrene	4 µmol/mol	U / b /

Abbreviations BMG-list : B = Blood. U = Urine. b = At the end of the period of exposure. d = pre-shift.
Source : EH40/2005 (Fourth edition, 2020).

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Hydrocarbons, C10, aromatics (naphthalene not included)	Inhalation				151 mg/m ³
Naphthalene	Dermal				12,5 mg/kg bw/day
	Dermal Inhalation			25 mg/m ³	3,57 mg/kg bw/day 25 mg/m ³

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Hydrocarbons, C10, aromatics (naphthalene not included)	Inhalation				32 mg/m ³
	Dermal				7,5 mg/kg bw/day
	Oral				7,5 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Naphthalene	Water	0,0024 mg/l	0,0024 mg/l	
	Sediment	0,0672 mg/kg	0,0672 mg/kg	
	Intermittent water			0,02 mg/l
	STP			2,9 mg/l
	Soil			0,0533 mg/kg

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	
Colour	: Colourless.	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: > 60 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 400 °C	
Boiling point/boiling range	: > 35 °C	
Melting point/melting range	: < -20 °C	
Explosive properties	: Not explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0.6 (Hydrocarbons, C10-C13, n-alkanes , isoalkanes, cyclics, < 2% aromatics) Upper explosion limit in air (%): 7 (Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: < 20,5 mm ² /sec	(1 mm ² /sec = 1cSt)
Viscosity (40°C)	: < 7 mm ² /sec	
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: Not known	(air = 1)
Relative density (20°C)	: 0,85 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION *

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 6,64 mg/l. Ingredients of unknown toxicity: 4 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Central nervous system. Effect(s): Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.

Carcinogenicity : Suspected of causing cancer.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Slight irritation possible. Repeated exposure may cause skin dryness or cracking. Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Ingestion

- Acute toxicity : Calculated LD50: 2564 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing.
- Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
- Carcinogenicity : Suspected of causing cancer.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Eye irritation - estimate	Non-irritant	----	----
	LD50 (oral) - estimate	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal) - estimate	> 5000 mg/kg bw	OECD 402	Rabbit
	Skin irritation	Slightly irritant	----	----
	Mutagenicity	Not mutagenic	----	----
	NOEL (carcinogenicity) - estimate	Not carcinogenic	----	----
	Respiratory irritation - estimate	Non-irritant	----	----
	NOAEL (development) - estimate	Not teratogenic	----	----
	NOAEL (fertility) - estimate	Not reprotoxic	----	----
	LC50 (inhalation)	> 5610 mg/m3	OECD 403	Rat
	NOAEL (oral) - estimate	> 5000 mg/kg bw/d	Read across	Rat
	NOAEL (inhalation) - estimate	> 1160 mg/m3	Read across	Rat
	Skin sensitisation - estimate	Not sensitizing	Read across	Guinea pig
	Hydrocarbons, C10, aromatics (naphthalene not included)	Skin sensitisation - estimate	Not sensitizing	Read across
NOAEL (oral) - estimate		300 mg/kg bw/d	Read across	Rat
NOAEL (inhalation)		> 380 mg/m3	OECD 413	Rat
Mutagenicity		Negative	OECD 471	Salmonella typhimurium
LD50 (oral)		5558 mg/kg bw	OECD 401	Rat
LC50 (inhalation)		> 4688 mg/m3	OECD 403	Rat
LC50 (inhalation) - estimate		> 5000 mg/m3		
LD50 (dermal)		> 2000 mg/kg bw	OECD 402	Rabbit
Skin irritation		Mildly irritant	OECD 404	Rabbit
Eye irritation		Slightly irritant	OECD 405	Rabbit
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	LC50 (inhalation) - estimate	> 82000 mg/m3	Read across	Rat
	LD50 (dermal) - estimate	> 3400 mg/kg bw	Read across	Rat



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Naphthalene	NOAEL (fertility) - estimate	> 2200 mg/kg.d	Read across	
	Skin sensitisation - estimate	Not sensitizing	Read across	
	LD50 (oral) - estimate	> 15000 mg/kg bw	Read across	Rat
	NOEL (carcinogenicity) - estimate	138 mg/kg.d	Read across	Rabbit
	NOAEL (dermal) - estimate	116 mg/kg bw/d	Read across	Rat
	NOAEL (inhalation) - estimate	3950 mg/m3	Read across	Rat
	Mutagenicity - estimate	Negative	Read across	Salmonella typhimurium
	Skin irritation - estimate	Non-irritant	Read across	Rabbit
	Eye irritation - estimate	Non-irritant	Read across	Rabbit
	NOAEL (development) - estimate	1000 mg/kg.d	Read across	
	NOEL (carcinogenicity, inh.)	52 mg/m3		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (oral)	133 mg/kg bw/d	OECD 408	Mouse
	Inhalation sensitisation	Not sensitizing	-----	-----
	Skin irritation	Non-irritant	-----	-----
	Eye irritation	Non-irritant	-----	-----
	NOEL (carcinogenicity, oral)	Carcinogenic		Human
	Genotoxicity - in vitro	Not genotoxic	-----	
	LD50 (oral)	533 mg/kg bw	OECD 401	Mouse
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
NOAEL (development, oral)	150 mg/kg bw/d	OECD 414	Rat	

Other information : In rats inhalation of naphthalene resulted in an increased incidence of nasal tumours. Although there is some uncertainty about the relevance of the rat nasal effects to human health, it is not possible to dismiss the findings as being irrelevant for humans.

11.2. Information on other hazards

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION *

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 4 mg/l. Calculated EC50 (waterflea): 17 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility. Floats on water.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C10, aromatics (naphthalene not included)	Ultimate aerobic biodegradation (%)	58 %	OECD 301 F	
	LC50 (fish)	> 2 mg/l	OECD 203	Oncorhynchus mykiss
	NOEC (fish)	0,487 mg/l.d		Oncorhynchus mykiss
	EC50 (waterflea)	10 mg/l	OECD 202	Daphnia magna
	NOEC (waterflea) - chronic	0,851 mg/l.d		Daphnia magna
	IC50 (algae)	1 mg/l	OECD 201	Pseudokirchnerella subcapitata
Naphthalene	Log P(ow)	> 6		
	EC50 (waterflea)	2,16 mg/l		Daphnia magna
	LC50 (fish)	0,51 mg/l		
	NOEC (fish)	0,12 mg/l.d		
	Ultimate aerobic biodegradation (%)	0 %	OECD 302 C	
	Log P(ow)	3,4000		
	BCF	427		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

*



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

14.1. UN number or ID number

UN nr. : UN 3082

14.2. UN proper shipping name


Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10, aromatics, >1% naphthalene)

Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10, aromatics, >1% naphthalene)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 9
Classification code : M6
Packaging group : III
Danger label : 9 + the "environmentally hazardous substance" mark.
Tunnel restriction code : (-)



Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

IMDG (sea)

Class : 9
Packaging group : III
EmS (fire / spill) : F - A / S - F
Marine pollutant : Yes
Other information : This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).

IATA (air)

Class : 9
ERG code : 9L

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION *

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Carc. 2	: Calculation method.
STOT SE 3	: Calculation method.
Asp. Tox. 1	: Expert judgement.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Aquatic Chronic 2 : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Sol. 1 : Flammable solid, category 1.
Acute Tox. 4 : Acute toxicity, category 4.
Carc. 2 : Carcinogen, category 2.
STOT SE 3 : Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1 : Aspiration hazard, category 1.
Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H228 : Flammable solid.
H302 : Harmful if swallowed.
H304 : May be fatal if swallowed and enters airways.
H336 : May cause drowsiness or dizziness.
H351 : Suspected of causing cancer.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.
EUH066 : Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Country / Language code : EC / EN
Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2024-09-11