

Safety Data Sheet according to Regulation (EU) 2015/830 Issue date: 6/7/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Shell 4 Season Screenwash -20C

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Kemetyl Kimya San.Tic.Ltd.Şti. Küçükbakkalköy Mahallesi Dereboyu Caddesi No:3A Brandium AVYM R/5 Blok K:13 D:82 Ataşehir, İstanbul T +90-216 455 1641 - 42 salesKTR@kemetyl.com - www.kemetyl.com.tr

1.4. Emergency telephone number

Country	Organisation/Compa ny	Address	Emergency number	Comment
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzıssıhha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2H225Acute toxicity (oral), Category 4H302Acute toxicity (dermal),H312Category 4H332Acute toxicityH332(inhalation:vapour) Category 4H370Specific target organ toxicityH370

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes damage to organs. Harmful in contact with skin. Harmful if inhaled. Harmful if swallowed.

Safety Data Sheet

according to Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08
Signal word (CLP)	: Danger
Hazardous ingredients	: methanol
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour. H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled H370 - Causes damage to organs.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P271 - Use only outdoors or in a well-ventilated area. P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor. P405 - Store locked up.
Child-resistant fastening	: Applicable
Tactile warning	: Applicable
5	••

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001- 00-X	15 – 25	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370

Safety Data Sheet

according to Regulation (EU) 2015/830

Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO)	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8	0.001 – 0.01	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium dodecylbenzenesulfonate	(CAS-No.) 25155-30-0 (EC-No.) 246-680-4	0.001 – 0.01	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits
methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001- 00-X	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C ≤ 100) STOT SE 1, H370
Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO)	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.	
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell. If swallowed: rinse mouth. Do NOT induce vomiting.	

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measu	res
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry powder. Dry powder.
5.2. Special hazards arising f	rom the substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 6: Accidental release measures	
--	--

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if
	product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
-	, including any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.

Technical measures: Ground/bond container and receiving equipment.Storage conditions: Store in a well-ventilated place. Keep cool. Keep co

ns : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

methanol (67-56-1)		
EU	Local name	Methanol
EU	IOELV TWA (mg/m ³)	260 mg/m³
EU	IOELV TWA (ppm)	200 ppm
EU	Notes	skin

Safety Data Sheet

according to Regulation (EU) 2015/830

methanol (67-56-1)				
EU	Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Turkey	Local name	Metanol		
Turkey	OEL TWA (mg/m ³)	260 mg/m ³		
Turkey	OEL TWA (ppm)	200 ppm		
Turkey	Comments	Deri		
Turkey	Regulatory reference	12 Ağustos 2013 Tarihli ve 28733 Sayılı Resmî Gazete		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Protective clothing. Safety glasses. Gloves. Self-contained breathing apparatus.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Colour	: Green.			
Odour	: characteristic.			
Odour threshold	: No data available			
рН	: 7.18			
Relative evaporation rate (butylacetate=1)	: No data available			
Melting point	: Not applicable			

Safety Data Sheet

according to Regulation (EU) 2015/830

: -20 °C
: No data available
: Not applicable
: No data available
: No data available
: No data available
: 0.94
: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Safety Data Sheet

according to Regulation (EU) 2015/830

Acute toxicity (dermal)	: Harmful in contact with skin.
Acute toxicity (inhalation)	: Harmful if inhaled.
ATE CLP (oral)	400 mg/kg bodyweight
ATE CLP (dermal)	1200 mg/kg bodyweight
ATE CLP (vapours)	12 mg/l/4h
Sodium dodecylbenzenesulfon	ate (25155-30-0)
LD50 dermal rat	 > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	0.31 mg/l air Animal: rat, Animal sex: male
Skin corrosion/irritation	: Not classified
	pH: 7.18
Serious eye damage/irritation	: Not classified
-	pH: 7.18
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Causes damage to organs.
•	
STOT-repeated exposure	: Not classified
Alcohols, C12-14(even number	ed), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)
NOAEL (oral, rat, 90 days)	 > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Sodium dodecylbenzenesulfon	ate (25155-30-0)
LOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
LOAEL (dermal, rat/rabbit, 90 days)	286 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (dermal, rat/rabbit, 90 days)	< 286 mg/kg bodyweight Animal: rat, Animal sex: male

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.		
Hazardous to the aquatic environment, short-term (acute)	: Not classified		

Safety Data Sheet

according to Regulation (EU) 2015/830

Hazardous to the aquatic environment, long-term (chronic)

Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)			
LC50 fish 1	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 Daphnia 1	7.2 mg/l Test organisms (species): Daphnia magna		
EC50 Daphnia 2	7.4 mg/l Test organisms (species): Daphnia magna		
EC50 72h algae (1)	27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 72h algae (2)	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		
Sodium dodecylbenzenes	ulfonate (25155-30-0)		
EC50 72h algae (1)	65.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 72h algae (2)	21 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information

: Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
1993		1993	1993	1993	1993

Safety Data Sheet

according to Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.2. UN proper s	14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S. (methanol)	FLAMMABLE LIQUID, N.O.S. (methanol)	Flammable liquid, n.o.s. (methanol)	FLAMMABLE LIQUID, N.O.S. (methanol)	FLAMMABLE LIQUID, N.O.S. (methanol)	
Transport documer	nt description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (methanol), 3, II, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (methanol), 3, II	UN 1993 Flammable liquid, n.o.s. (methanol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (methanol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (methanol), 3, II	
14.3. Transport ha	azard class(es)				
3	3	3	3	3	
14.4. Packing grou	up				
11	П	П	П	II	
14.5. Environmental hazards					
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary information available					

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601, 640D
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP8, TP28
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33
	1993

Safety Data Sheet

according to Regulation (EU) 2015/830

according to Regulation (EU) 2015/830	
Tunnel restriction code (ADR)	: D/E
EAC code	: •3YE
- Transport by sea	
Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28, TP8
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	
PCA limited quantity max net	: 1L
quantity (IATA)	
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3H
- Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601, 640D
Limited quantities (ADN)	:1L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	
- · · · ·	
- Rail transport Classification code (RID)	: F1
Special provisions (RID)	: 274, 601, 640D
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container	: T7
instructions (RID)	. 17
Portable tank and bulk container special provisions (RID)	: TP1, TP8, TP28
Tank codes for RID tanks (RID)	: LGBF
6/7/2021	EN (English)

Safety Data Sheet

according to Regulation (EU) 2015/830

: 2 Transport category (RID) Colis express (express parcels) : CE7 (RID)

Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Regulation on Health and Safety Precautions When Working with Chemical Substances published in the Official Journal numbered 28733 on August 12, 2013

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
: Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
. : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
: None of the components are listed
: None of the components are listed
: None of the components are listed
: None of the components are listed
: None of the components are listed
: Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEL	No-Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Safety Data Sheet

according to Regulation (EU) 2015/830

Full lext of H- and EUH-statements	text of H- and EUH-statem	ents:
------------------------------------	---------------------------	-------

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT SE 1	Specific target organ toxicity — single exposure, Category 1		
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2		
H225	Highly flammable liquid and vapour.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H311	Toxic in contact with skin.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H332	Harmful if inhaled.		
H370	Causes damage to organs.		
H371	May cause damage to organs.		
H412	Harmful to aquatic life with long lasting effects.		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.